Index

Subject

acantholytic dyskeratotic epidermal naevus, unilateral localization (Case Report), 875
N-acetylcysteine, hazards of high-dose therapy (Correspondence), 553
acitretin in psoriasis, addition of calcipotriol ointment to, 84
acrodermatitis continua of Hallopeau, topical calcipotriol therapy (Correspondence), 556
actinic prurigo
  genetic modelling of photosensitivity in (Poster Abstract), 744
  and TNF-alpha promoter polymorphisms (Poster Abstract), 745
actinic superficial folliculitis (Case Report), 1070
adenosine monophosphate phosphodiesterase activity in peripheral blood mononuclear leucocytes in atopic dermatitis (Concise Communication), 846
adrenocorticotrophic hormone immunoreactivity in malignant melanoma and benign melanocytic naevi, 981
adult T-cell leukaemia/lymphoma, prurigo as prodrome (Case Report), 137
age, relationship with cholesterol sulphate and dehydroepiandrosterone sulphate in X-linked ichthyosis (Concise Communication), 655
ageing and sun exposure (Paper Abstract), 375
Alagille syndrome, steatocystoma multiplex and leuconychia in (Case Report), 150
alcohol therapy in aquagenic pruritus (Correspondence), 927
allergic reactions, additive to irritant reactions (Correspondence), 723
alpha$_1$-antitrypsin deficiency, cryosurgery-induced, and panniculitis (Correspondence), 552
alpha-glucosidase activity following hydroxyethyl starch infusion (Case Report), 672
alpha-tocopherol, effect on UV-induced oxidative skin damage, 207
Alternaria alternata infection, itraconazole therapy (Case Report), 354
2-aminoanthracene, basal cell carcinoma induction by (Poster Abstract), 746
amyloidosis, nodular localized cutaneous (Concise Communication), 652
anaphylaxis, food-dependent exercise-induced (Case Report), 898
angioma, congenital linear tufted, spontaneous regression (Correspondence), 912
angiosarcoma
  at site of arteriovenous fistula in renal transplant recipients (Correspondence), 361
  in chronically lymphoedematous leg (Case Report), 692
  in Hallopeau–Siemens-type hereditary epidermolysis bullosa (Correspondence), 910
  and human herpesvirus 8 (Correspondence), 546
angular cheilitis, acquired linear anetoderma following (Correspondence), 922
annular erythema, recurrent in juvenile chronic myelogenous leukaemia (Case Report), 1058
anthralin irritancy (Paper Abstract), 736
anticardiolipin antibodies in autoerythrocyte sensitization syndrome (Correspondence), 367
antigen presenting cell activation by hapten application, 786
antimicrobials, patch testing, 467
antiphospholipid antibody syndrome, mesothelioma-associated (Correspondence), 1092
anti-Ro/SSA antibody detection in subacute cutaneous lupus erythematosus (Concise Communication), 114
aphthous ulcers, nicorandil-induced (Correspondence), 712
aplasia cutis congenita, reticulolinear of face and neck (Case Report), 1046
apomorphine infusion, panniculitis associated (Concise Communication), 480
aquagenic pruritus, alcohol therapy (Correspondence), 927
atopic dermatitis
  association with beta subunit of high affinity IgE receptor (Fast-track Paper), 182
  cyclic adenosine monophosphate phosphodiesterase activity in peripheral blood mononuclear leucocytes (Concise Communication), 846
  and Dubowitz syndrome (Correspondence), 1091
  effect of nitrazepam on nocturnal scratching, 631
  family impact, 107
  flucloxacillin therapy, 1022
  8-hydroxydeoxyguanosine in urine, 1033
  with photosensitivity dermatitis and actinic reticuloid syndrome (Case Report), 496
  prevalence trends in Germany (Paper Abstract), 376
  skin pain following combined UVA and UVB phototherapy (Correspondence), 721
  soluble E-selectin and disease severity, 431
  with sporadic dystrophic epidermolysis bullosa (Case Report), 315
  streptococcal impetigo and T-cell activation (Correspondence), 357
  UK diagnostic criteria validation in Romanian schoolchildren, 436
Australian school students, prevalence of common skin conditions, 840
autoerythrocyte sensitization syndrome with anticardiolipin antibodies (Correspondence), 367
azithromycin in cyclosporin-induced gingival overgrowth (Correspondence), 198

basal cell carcinoma
  activation of hedgehog/patched signalling pathway (Paper Abstract), 739

beta-catenin and E-cadherin immunostaining (Poster Abstract), 746
induction by 2-aminoanthracene (Poster Abstract), 746
with neuroid type nuclear palisading (Case Report), 1064
periocular, Mohs surgery, 1003
renal transplant recipients, HPV in (Paper Abstract), 740
tumour microcirculation in (Paper Abstract), 739
urocanic acid isomers in, 986
basement membrane and pigmentation in human skin composite (Paper Abstract), 732
benzoyl peroxide, UVA-induced plasma membrane damage by (Poster Abstract), 744
beta-endorphin immunoreactivity in malignant melanoma and benign melanocytic naevi, 981
beta-streptococcal superantigens, lymphocyte responsiveness to in psoriasis, 229
betamethasone valerate in combination with calcipotriol in psoriasis, 254
biocides, patch testing, 467
blushing, treatment by endoscopic transthoracic sympathicotomy, 639
botulinum toxin therapy in hyperhidrosis (Correspondence), 553
Bowen's disease, pigmented (Case Report), 515
bradykinin, effect of H_1 antagonists on cutaneous vascular response to, 806
British Epidermo-Epidemiology Society, 7th Meeting, 374
British Photodermatology Group, abstracts of Photodermatology Symposium, 729
British Society for Investigative Dermatology, abstracts of Annual Meeting, 731
bronchial carcinoma metastasis to digits (Correspondence), 708
buccal ulceration, nicorandil-induced (Correspondence), 372
bullous pemphigoid
associated with acute glomerulonephritis (Case Report), 867
associated with renal allograft rejection (Correspondence), 547
cytokines in blister fluid and serum, 611
differential diagnosis, 593
following influenza vaccination (Correspondence), 363
and HLA-DQ7 (Fast-track Paper), 1085
induction by bumetanide (Correspondence), 548
internalization of 180 kDa bullous pemphigoid antigen, 71
localization of IgG antibodies in perilesional skin, 965
bullous pemphigoid antigen
expression in generalized atrophic benign epidermolysis bullosa (Correspondence), 904
generalized atrophic benign epidermolysis bullosa defective in (Case Report), 859
internalization in blister formation in bullous pemphigoid, 71
in neonatal junctional epidermolysis bullosa (Case Report), 661
bumetanide induction of bullous pemphigoid (Correspondence), 548
calcineurin expression by normal and psoriatic keratinocytes (Paper Abstract), 736
calcipotriol
addition of ointment to acitretin therapy in psoriasis, 84
comparison of monotherapy and combination therapy in psoriasis, 254
dose–irritation relationship, 259
topical, in acrodermatitis continua of Hallopeau (Correspondence), 556
calcium, intracellular elevation in keratinocytes (Paper Abstract), 738
Cape Town, malignant melanoma, 998
Castleman's tumour, paraneoplastic pemphigus associated (Case Report), 667
beta-catenin immunostaining in basal cell carcinoma (Poster Abstract), 746
caucasians, facultative skin pigmentation, 826
CD26 in benign and malignant pigment-cell lesions, 615
CD30 immunostaining in cutaneous eruptions, 774
CD44 expression in cutaneous melanocytic tumours, 763
Celtic ancestry and skin cancer, 627
cervical involvement in pemphigus vulgaris (Correspondence), 363
childhood, topical therapy, 293
cholesterol sulphate, relationship with dehydroepiandrosterone sulphate and age in X-linked ichthyosis (Concise Communication), 655
chromium, keratinocyte resistance to (Poster Abstract), 751
chronic actinic dermatitis with atopic dermatitis (Case Report), 496
chronic venous insufficiency, population based survey (Paper Abstract), 375
clear cell papulosis (Case Report), 678
cobalamin metabolism in methotrexate-treated psoriasis (Correspondence), 1097
collagen
effects of TNF-alpha on gene expression in cultured fibroblasts (Concise Communication), 118
gene expression patterns in normal and keloid fibroblasts, 938
type V, abnormalities in Ehlers–Danlos syndrome type II (Paper Abstract), 732
type, VII
antibodies in drug-induced linear IgA disease (Case Report), 310
gene mutations in recessive dystrophic epidermolysis bullosa (Paper Abstract), 732, (Case Report), 852
Compositae allergy, patch testing, 1018
confocal laser scanning microscopy
in differential diagnosis of bullous pemphigoid and epidermolysis bullosa acquisita, 593
stratum corneum, 583
congenital heart disease with palmoplantar keratoderma (Case Report), 506
congenital linear tufted angioma, spontaneous regression (Correspondence), 912
connexin 26 mutation in Vohwinkel's palmoplantar keratoderma (Paper Abstract), 741

contact dermatitis
allergic
IL-12 expression in lymph (Concise Communication), 297
to acrylates in diathermy plates (Correspondence), 1094
irritant
TNF-alpha and IL-1 receptor antagonist gene polymorphisms in susceptibility to (Paper Abstract), 735
use of biologically equipotent irritant doses in study of skin barrier impairment (Poster Abstract), 750
Zurich Prospective Metalworker Eczema Study (Paper Abstract), 375
corticosteroid injection protocol in psoriatic nail dystrophy, 90
cutaneous T-cell lymphoma, T-cell receptor variable region genes, 3
cutis laxa, regulation of fibroblast matrix metalloproteinase expression, 757
cyclophilin A expression by normal and psoriatic keratinocytes (Paper Abstract), 736
cyclosporin
effect on subcutaneous sarcoidosis (Correspondence), 1103
gingival overgrowth induced by, azithromycin therapy (Correspondence), 198
maintenance therapy in psoriasis (Correspondence), 561
renal biopsy in long-term therapy (Correspondence), 562
renal function after 10 years' treatment, 443
therapy in granuloma annulare (Correspondence), 369
cytokines
in bullous pemphigoid blister fluid and serum, 611
pro-inflammatory, effects of *Malassezia* on peripheral blood mononuclear cell production (Poster Abstract), 743
Th1 to Th2 switching, 774
cytotoxic T cell activity to herpes simplex virus, effect of UVB on (Paper Abstract), 729

Darier's disease, hypopigmented macules in (Correspondence), 913
dehydroepiandrosterone sulphate, relationship with cholesterol sulphate and age in X-linked ichthyosis (Concise Communication), 655
delayed type hypersensitivy, T cell apoptosis in (Poster Abstract), 749
delusions of parasitosis, 1030
Demodex folliculorum
spinulosis of the face as manifestation (Case Report), 901
topical treatment evaluation, 461
dendritic cell B7 expression (Correspondence), 358
dermal oedema, ultrasound assessment in leg ulcers, 815
Dermatitis Family Impact questionnaire, 107
dermatitis herpetiformis, Th2-like cytokine activity in, 242
dermatomyositis, presentation as plaque-like mucinosis (Case Report), 889
dermatophytes
causing scalp infection (Paper Abstract), 377
identification by polymerase chain reaction, 576
dermatophytoma, subungual in dermatophyte onychomycosis (Correspondence), 189
diathermy plates, allergic contact dermatitis to acrylates in (Correspondence), 1094
digital necrosis and Sharp's syndrome (Correspondence), 550
dilated cardiomyopathy with Takayasu's arteritis and psoriatic arthritis (Case Report), 329
dimenhydrinate, fixed drug eruption due to (Correspondence), 920
dipeptidyl-peptidase IV in benign and malignant pigment-cell lesions, 615
disabling pansclerotic morphoea of children, PUVA therapy (Correspondence), 201
discoid lupus erythematosus and hyper-IgM syndrome (Case Report), 1053
Dubowitz syndrome and atopic dermatitis (Correspondence), 1091
dystrophic epidermolysis bullosa
with atopic dermatitis (Case Report), 315
recessive, type VII collagen gene mutations (Paper Abstract), 732, (Case Report), 852

E-cadherin immunostaining in basal cell carcinoma (Poster Abstract), 746
E-selectin and disease severity in atopic dermatitis, 431
eccrine porocarcinoma with melanocyte colonization (Case Report), 519
eccrine syringofibroadenomatosis associated with hidrotic ectodermal dysplasia (Case Report), 879
eczema herpeticum, virus characterization studies (Correspondence), 545
Ehlers–Danlos syndrome type II and type V collagen abnormalities (Paper Abstract), 732
endoscopic transthoracic sympathicotomy in treatment of facial blushing, 639
endothelial cell-stimulating angiogenesis factor in psoriasis (Paper Abstract), 737
epidermal-binding circulating antibodies in epidermolysis bullosa acquisita (Correspondence), 195
epidermal stem cells in hair bearing skin (Paper Abstract), 738
epidermolysis bullosa
generalized atrophic benign
bullous pemphigoid antigen defective (Case Report), 859
mosaic expression of uncein, linear IgA bullous dermatosis antigen and bullous pemphigoid antigen (Correspondence), 904
Hallopeau–Siemens-type hereditary, angiosarcoma in (Correspondence), 910
epidermolysis bullosa acquisita
differential diagnosis, 593
epidermal-binding circulating antibodies in (Correspondence), 195
epidermolytic hyperkeratosis, keratin 10 mutation in (Poster Abstract), 748
Epidermophyton identification by PCR, 576
Epstein–Barr virus infection with natural killer cell leukaemia, mosquito-bite hypersensitivity amd hydroa vacciniforme-like eruption (Correspondence), 905

erythema elevatum diutinum
associated with rheumatoid factor and peripheral ulcerative keratitis (Case Report), 893
nodular, in HIV infection (Correspondence), 717
erythema multiforme, HSV gene expression and HSV-specific T-cell response, 952
erythroplasia of Queyrat, HPV DNA in (Correspondence), 188
etretinate therapy of subungual tumour in incontinentia pigmenti (Correspondence), 554
exanthematous pustulosis, acute generalized, terbinafine-induced (Correspondence), 709
Exophiala jeanselmei subcutaneous phaeohyphomycosis in tuberculosis (Case Report), 351
extracorporeal immunoadsorption therapy in necrotizing vasculitis associated with hepatitis C virus infection (Correspondence), 718, (Correspondence), 926

facial nerve palsy with Lyme disease (Case Report), 304
family, impact of childhood atopic dermatitis on, 107
fibrillin microfibrils in skin exhibiting striae distensae, 931
fibroblasts
effects of TNF-alpha on collagen gene expression (Concise Communication), 118
hypertrophic scar, fibronectin production (Paper Abstract), 731
normal and keloid, collagen gene expression patterns, 938
normal and xeroderma pigmentosa, cellular sensitivity after UVB irradiation or photodynamic therapy (Paper Abstract), 740
and pigmentation in human skin composite (Paper Abstract), 732
fibronectin, production by hypertrophic scar fibroblasts (Paper Abstract), 731
fish oil as photoprotective agent in hydroa vacciniforme (Case Report), 173
flucloxacillin in atopic dermatitis, 1022
flutamide, pseudoporphyria induced by (Correspondence), 711
folliculitis
actinic superficial (Case Report), 1070
tufted of the scalp, 799
folliculitis decalvans, variant, 799
food allergy, exercise-induced anaphylaxis (Case Report), 898
fumaric acid ester therapy in psoriasis, 456
furunculosis, recurrent, neutrophil phagocytosis and oxidative burst, 1036

general practitioners
malignant melanoma excision by, 412
referrals to pigmented lesion clinic, 418
generalized pustulosis with ichthyosiform erythroderma (Case Report), 502
Geniculosporium, subcutaneous phaeohyphomycosis (Case Report), 346
genital ulcers and tazarotene (Correspondence), 713
giant congenital naevi, early curettage (Case Report), 341
gingival overgrowth, cyclosporin-induced, azithromycin therapy (Correspondence), 198
glomerulonephritis associated with bullous pemphigoid (Case Report), 867
glycosaminoglycan expression in photodamaged skin (Poster Abstract), 744
graft-versus-host disease resembling dermatomyositis (Correspondence), 558
granulocyte/macrophage colony-stimulating factor
effect on wound-fluid IL-8, 277
in therapy of pyoderma gangrenosum (Correspondence), 368
granuloma annulare
complicating tattoos (Correspondence), 360
cyclosporin therapy (Correspondence), 369
follicular pustulous (Case Report), 1075
granuloma inguinale, surgical treatment (Case Report), 1079
granuloma pyogenicum, inducible nitric oxide synthase expression, 769

H_1 antagonists, effect on cutaneous vascular response to bradykinin and histamine, 806
H_3 receptor agonists, intradermal effects, 622
hair, repetitive pulling in schizophrenia (Correspondence), 1095
hair follicle transglutaminase 1 expression, 37
hands, influence of season on irritant skin changes, 266
head lice, insecticide resistance (Poster Abstract), 742
health-care workers, latex allergy 273, (Paper Abstract), 376
heart transplant
mucosal leishmaniasis following (Correspondence), 190
skin disease following (Poster Abstract), 745
heat shock protein, hyperthermia-induced (Poster Abstract), 752
heat urticaria, immediate-type (Case Report), 326
heliotherapy, effect on cost of psoriasis, 288
hepatitis, C
cirrhosis, with red fingers syndrome (Correspondence), 193
necrotizing vasculitis associated, extracorporeal immunoadsorption therapy (Correspondence) 718, (Correspondence), 926
and porphyria cutanea tarda, 1015
and urticaria (Correspondence), 194
herpes simplex virus
cytotoxic T cell activity to, effect of UVB on (Paper Abstract), 729
expression in erythema multiforme lesions, 952
herpes zoster
cutaneous reactions at scar sites (Case Report), 161
lichen simplex chronicus in (Correspondence), 921
soluble Fas levels (Correspondence), 1091
hidrotic ectodermal dysplasia associated with eccrine syringofibroadenomatosis (Case Report), 879
hirsutism, laser therapy, 1009
histamine
basophil release in chronic idiopathic urticaria (Paper Abstract), 737
effect of H_1 antagonists on cutaneous vascular response to, 806

HIV infection
CD30 immunostaining as marker, 774
crusted scabies with scalp involvement in (Correspondence), 192
dermatological survey of Japanese patients (Correspondence), 908
indolent penile herpetic ulcer (Case Report), 334
nodular erythema elevatum diutinum in (Correspondence), 717
skin ulceration in (Correspondence), 366
varicella zoster infection in (Correspondence), 714
HLA-DQ7 and bullous pemphigoid (Fast-track Paper), 1085
HLA phenotype and skin cancer, 627
Hodgkin's disease, paraneoplastic pemphigus associated (Correspondence), 196
human herpesvirus 8 and angiosarcoma (Correspondence), 546
human papillomavirus
in basal cell carcinoma from renal transplant recipients (Paper Abstract), 740
DNA in erythroplasia of Queyrat (Correspondence), 188
DNA in skin tags (Concise Communication), 649
in plantar epidermoid cyst (Case Report), 510
typing, 381
hyaluronan synthesis by fibroblasts, stimulation of (Poster Abstract), 751
hydroa vacciniforme, dietary fish oil as photoprotective agent (Case Report), 173
8-hydroxydeoxyguanosine in urine in atopic dermatitis, 1033
hydroxyethyl starch infusion, alpha-glucosidase activity and periocular swelling following (Case Report), 672
hyper-IgM syndrome and discoid lupus erythematosus (Case Report), 1053
hyperhidrosis, botulinum toxin therapy (Correspondence), 553
hyperpigmentation following cytotoxic therapy for Kaposi's sarcoma, laser therapy (Correspondence), 924
hyperthermia, heat shock protein induced by (Poster Abstract), 752
hypoparathyroidism and sarcoidosis (Correspondence), 915
hysterosalpingography, reticulated purpura following (Correspondence), 919

ichthyosiform erythroderma with generalized pustulosis (Case Report), 502
ichthyosis bullosa of Siemens, keratin 2e mutation (Poster Abstract), 748
immunofluorescence, dust-like particles pattern, 1039
immunoglobulins
high affinity IgE receptor in atopic dermatitis (Fast-track Paper), 182
IgG antibodies, localization in bullous pemphigoid perilesional skin, 965
intravenous
in autoimmune chronic urticaria, 101
in pemphigus vulgaris (Correspondence), 1102
incontinentia pigmenti, etretinate therapy of subungual tumour (Correspondence), 554
influenza vaccination, bullous pemphigoid induction following (Correspondence), 363
integrins
nonsense/missense mutations (Paper Abstract), 741
suprabasal expression in skin treated with topical retinoic acid, 29
intercellular adhesion molecule-1, effect of alpha-MSH on TNF-alpha stimulated expression (Fast-track Paper), 536
interferon alpha, response of systemic mastocytosis to (Case Report), 489
interferon gamma, response of psoriatic kertinocytes to (Paper Abstract), 737
interleukins
IL-1, in epidermal Langerhans cell migration (Paper Abstract), 736
IL-6, in systemic plasmacytosis (Correspondence), 721
IL-8
in calcipotriene-induced improvement in psoriasis, 77
regulation of production in cultured keratinocytes by tacalcitol, 63
in wound-fluid, 277
IL-10
in calcipotriene-induced improvement in psoriasis, 77
effect on cultured keratinocytes (Poster Abstract), 750
IL-12, lymph expression in allergic contact dermatitis (Concise Communication), 297
irritant reactions, additive to allergic reactions (Correspondence), 723
isotretinoin
effect on natural killer cell activity in xeroderma pigmentosum, 236
prescription to women, 450
itraconazole in *Alternaria alternata* infection (Case Report), 354

junctional epidermolysis bullosa
and laminin-5 autoantibodies (Case Report), 125
neonatal, bullous pemphigoid antigen in (Case Report), 661
non-lethal, with pyloric atresia (Paper Abstract), 741

keratin 2e mutation in ichthyosis bullosa of Siemens (Poster Abstract), 748
keratin 10 mutation in epidermolytic hyperkeratosis (Poster Abstract), 748
keratin 16
mutation associated with pachyonychia congenita phenotype (Paper Abstract), 741
normal and mutant, filament dynamics (Paper Abstract), 740
keratinocytes
chromium resistance (Poster Abstract), 751
cultured, effect of exogenous IL-10 treatment (Poster Abstract), 750
cyclophilin A and calcineurin expression (Paper Abstract), 736
expression of plasminogen activator inhibitor type 2, 22
intracellular calcium elevation (Paper Abstract), 738
in preimmune response to sensitizing agents, 45

in psoriasis, reaction to IFN-gamma (Paper Abstract), 737
regulation of proliferation (Paper Abstract), 738
transcript expression for PTHrP isoforms, 944
keratosis lichenoides chronica, mycosis fungoides presenting as (Case Report), 1067
kidney
allograft rejection, bullous pemphigoid associated (Correspondence), 547
biopsy in long-term cyclosporin therapy (Correspondence), 562
function after 10 years' cyclosporin therapy, 443
transplant recipients
angiosarcoma at site of arteriovenous fistula (Correspondence), 361
compliance with sun protection advice (Concise Communication), 301
HPV in basal cell carcinoma (Paper Abstract), 740
post-kala-azar dermal leishmaniasis (Case Report), 526
Koebner phenomenon in vitiligo following laser therapy of port-wine stain (Correspondence), 200

laminin-5 autoantibodies in junctional epidermolysis bullosa (Case Report), 125
lamotrigine hypersensitivity (Correspondence), 710
Langerhans cell histiocytosis and thyroid carcinoma (Correspondence), 909
Langerhans cells
epidermal frequency modulation by TNF-alpha (Poster Abstract), 751
role of IL-1 in migration (Paper Abstract), 736
role in removal of melanin from early catagen hair follicles, 795
laser therapy
extramammary Paget's disease (Case Report), 169
hirsutism, 1009
of hyperpigmentation following cytotoxic therapy for Kaposi's sarcoma (Correspondence), 924
miliary osteoma cutis (Correspondence), 371
port-wine stain
pigmentary changes following (Concise Communication) 477
vitiligo following (Correspondence), 200
latex allergy in health-care workers 273, (Paper Abstract), 376
lauramacragols, antipruritic actions (Poster Abstract), 753
leg ulcers
culturing and grafting system (Concise Communication), 849
thrombocytosis associated (Case Report), 533
ultrasound assessment of dermal oedema, 815
leishmaniasis
cutaneous, intralesional meglumine antimoniate therapy (Correspondence), 370
mucosal, following heart transplant (Correspondence), 190
post-kala-azar dermal, in kidney transplant recipient (Case Report), 526
lepromatous leprosy presentation (Correspondence), 560
leuconychia and steatocystoma multiplex in Alagille syndrome (Case Report), 150
leukaemia
juvenile chronic myelogenous, recurrent annular erythema in (Case Report), 1058
natural killer cell (Correspondence), 905
leukoderma, treatment by transplantation of basal cell layer enriched suspension, 644
lichen planus
annular, metallothionein expression (Case Report), 1043
polymorphonuclear cell involvement (Poster Abstract), 753
vulval (Review Article), 569
lichen planus pemphigoides, heterogeneity, 972
lichen sclerosus, vulval, squamous cell carcinoma in (Case Report), 695
lichen simplex chronicus in herpes zoster (Correspondence), 921
linear anetoderma, acquired following angular cheilitis (Correspondence), 922
linear IgA bullous dermatosis antigen expression in generalized atrophic benign epidermolysis bullosa (Correspondence), 904
linear IgA disease
drug-induced with collagen VII antibodies (Case Report), 310
target antigen definition (Paper Abstract), 733
lipoprotein (a) serum level variation in psoriasis (Correspondence), 917
lung transplant, skin disease following (Poster Abstract), 745
lupoid sycosis, minocycline therapy (Correspondence), 199
lupus erythematosus, terbinafine-induced (Correspondence), 708
Lyme disease with facial nerve palsy (Case Report), 304
lymphatic density, comparison of arm and leg skin (Poster Abstract), 753

Malassezia
comparison of yeast and mycelial antigens (Poster Abstract), 742
effects on peripheral blood mononuclear cell pro-inflammatory cytokine production (Poster Abstract), 743
malignant melanoma
in Cape Town, 998
clinical accuracy of diagnosis, 283
early diagnosis (Correspondence), 202
excision by GPs, 412
following PUVA therapy (Correspondence), 1100
immunomodulatory role of alpha-MSH (Paper Abstract), 735
immunoreactivity of alpha-MSH, ACTH and beta-endorphin, 981
melanocortin 1 receptor variant in (Poster Abstract), 747
and MSH receptor gene polymorphism (Poster Abstract), 746
and oral contraceptives (Concise Communication), 122
serum S-100beta protein in, 426
tumour suppressor gene deletions in subset, 13
urocanic acid isomers in, 986

mast cells
cutaneous distribution in HIV-associated xerosis (Poster Abstract), 743
dermal, in scleroderma, 399
masticatory muscle hypertrophy, benign (Correspondence), 563
mastocytosis
response to interferon alpha (Case Report), 489
with tripe palms (Case Report), 698
matrix metalloproteinase
effect of retinoic acid on production by pig skin organ culture (Poster Abstract), 752
regulation of expression in cutis laxa fibroblasts, 757
meglumine antimoniate intralesional therapy in cutaneous leishmaniasis (Correspondence), 370
melanin, role of Langerhans cells in removal from early catagen hair follicles, 795
melanocortin 1 receptor variants in malignant melanoma (Poster Abstract), 747
alpha-melanocyte-stimulating hormone
effect on TNF-alpha stimulated ICAM-1 expression (Fast-track Paper), 536
immunomodulatory role in melanocytes and melanoma (Paper Abstract), 735
immunoreactivity in malignant melanoma and benign melanocytic naevi, 981
melanocyte-stimulating hormone receptor gene polymorphism in malignant melanoma (Poster Abstract), 746
melanocytes, immunomodulatory role of alpha-MSH (Paper Abstract), 735
melanocytic naevi
atypical, and sun exposure, 422
benign, immunoreactivity of alpha-MSH, ACTH and beta-endorphin, 981
genetic and environmental influences in Turner's syndrome, 993
melanocytic tumour moesin and CD44 expression, 763
mesothelioma, antiphospholipid antibody syndrome associated (Correspondence), 1092
metallothionein expression
in annular lichen planus (Case Report), 1043
in tattooed skin (Correspondence), 359
R alpha-methylhistamine, intradermal effects, 622
Microsporum identification by PCR, 576
miliary osteoma cutis, laser therapy (Correspondence), 371
minimal erythema dose testing prior to phototherapy (Paper Abstract), 730
minocycline in lupoid sycosis (Correspondence), 199
minoxidil, effect on vascular endothelial growth factor expression, 407
mitochondrial DNA and ultraviolet light exposure (Paper Abstract), 733
moesin expression in cutaneous melanocytic tumours, 763
Mohs surgery in periocular basal cell carcinoma, 1003
molluscum contagiosum, antiretroviral therapy (Correspondence), 715
mosquito bite hypersensitivity (Correspondence), 905
mucous membrane pemphigoid, 602
Muir-Torre syndrome, sebaceous tumours (Correspondence), 706
Mycobacterium marinum monoclonal antibody production and characterisation (Poster Abstract), 742
mycophenolate mofetil
in erythrodermic psoriasis (Correspondence), 1101
in psoriasis (Case Report), 179
mycosis fungoides
granulomatous (Case Report), 522
presentation as keratosis lichenoides chronica (Case Report), 1067
vesicular (Case Report), 141

nabumetone, pseudoporphyria induced by (Correspondence), 549
nails, psoriatic dystrophy, steroid injection protocol, 90
natural killer cells, effect of isotretinoin on activity in xeroderma pigmentosum, 236
necrotizing vasculitis associated with hepatitis C virus infection, extracorporeal immunoadsorption therapy (Correspondence) 718, (Correspondence), 926
neutrophils, phagocytosis and oxidative burst in recurrent furunculosis, 1036
nicorandil
buccal ulceration induced by (Correspondence), 372
oral aphthous ulcers induced by (Correspondence), 712
nicotine inhalation, urticaria following (Case Report), 486
nitrazepam, effect on nocturnal scratching in atopic dermatitis, 631
nitric oxide, effects on normal skin (Paper Abstract), 735
nitric oxide synthase expression in granuloma pyogenicum, 769
non-melanoma skin cancer
genomic regions showing chromosome loss (Poster Abstract), 747
platelet-derived endothelial cell growth factor/thymidine phosphorylase expression (Poster Abstract), 752
nuclear palisading in basal cell carcinoma (Case Report), 1064
nude mouse xenograft model, epidermal stem cells in hair bearing skin (Paper Abstract), 738

occupational dermatitis, survey of skin care at work (Paper Abstract), 377
onychomycosis
caused by *Trichophyton equinum* (Case Report), 1082
subungual dermatophytoma in (Correspondence), 189
oral contraceptives and malignant melanoma (Concise Communication), 122

p53
and induction of senescence-like phenotype in cultured cells (Poster Abstract), 747
ultraviolet action spectrum for activation (Paper Abstract), 733
Paget's disease
extramammary
ear involvement (Correspondence), 914

laser therapy (Case Report), 169
scrotum (Case Report), 689
palmoplantar keratoderma
with congenital heart disease (Case Report), 506
epidermolytic, epidemiology and genetics (Poster Abstract), 749
Vohwinkel's, connexin 26 mutation in (Paper Abstract), 741
palmoplantar pustulosis, 390
Pancoast tumour, nasal tip metastasis (Correspondence), 559
panniculitis
associated with apomorphine infusion (Concise Communication), 480
due to cryosurgery-induced alpha$_1$-antitrypsin deficiency (Correspondence), 552
paraneoplastic pemphigus
associated with Castleman's tumour (Case Report), 667
in Hodgkin's disease (Correspondence), 196
parathyroid hormone-related protein, isoform transcript expression by keratinocytes, 944
patch testing for Compositae allergy, 1018
pemphigoid, mucous membrane, 602
pemphigus
paraneoplastic
associated with Castleman's tumour (Case Report), 667
in Hodgkin's disease (Correspondence), 196
pemphigus vulgaris
cervical involvement (Correspondence), 363
intravenous immunoglobulin therapy (Correspondence), 1102
penis
herpetic ulcer in HIV infection (Case Report), 334
pyoderma gangrenosum (Case Report), 337
phenobarbitone hypersensitivity (Correspondence), 710
photoageing, and thymine dimers in epidermis and dermis (Paper Abstract), 739
photodamage, effect on glycosaminoglycan and proteoglycan expression (Poster Abstract), 744
photosensitivity
genetic modelling, in polymorphic light eruption and actinic prurigo pedigrees (Poster Abstract), 744
heritability (Paper Abstract), 734
in Smith–Lemli–Opitz syndrome (Paper Abstract) 731, (Case Report), 885
photosensitivity dermatitis and actinic reticuloid syndrome with atopic dermatitis (Case Report), 496
phototherapy
combined UVA and UVB, skin pain following (Correspondence), 721
MED testing prior to (Paper Abstract), 730
narrow-band, UVB
in chronic plaque psoriasis, 833
comparison of near and far erythemogenic doses in psoriasis, 96
pigment-cell lesions, CD26/dipeptidyl-peptidase IV in, 615
pigmentation
facultative in caucasians, 826
in human skin composite, influence of fibroblasts and basement membrane (Paper Abstract), 732
pigmented lesion clinic, interval between referral and attendance at hospital, 418
plantar epidermoid cyst, human papillomavirus in (Case Report), 510
plasmacytosis, systemic, IL-6 in (Correspondence), 721
plasminogen activator, effect of retinoic acid on production by pig skin organ culture (Poster Abstract), 752
plasminogen activator inhibitor type 2 expression in keratinocytes during re-epithelialization of epidermal defects, 22
platelet-derived endothelial cell growth factor expression in non-melanoma skin cancer (Poster Abstract), 752
platelets, spontaneous aggregation, cutaneous vascular infarcts secondary to (Case Report), 1061
polymerase chain reaction in identification of dermatophytes, 576
polymorphic light eruption, genetic modelling of photosensitivity in (Poster Abstract), 744
polyunsaturated fatty acids, protective effects against UV carcinogenesis (Poster Abstract), 745
porokeratosis plantaris palmaris et disseminata (Correspondence), 556
porokeratotic eccrine ostial and dermal duct naevus (Case Report), 684
porphyria cutanea tarda and hepatitis C virus infection, 1015
port-wine stain
childhood facial, prediction of rate of improvement, 821
pigmentary changes following laser therapy (Concise Communication), 477
vitiligo following laser therapy (Correspondence), 200
preservatives, patch testing, 467
proteoglycan expression in photodamaged skin (Poster Abstract), 744
prurigo as prodrome to adult T-cell leukaemia/lymphoma (Case Report), 137
pseudoporphyria
flutamide-induced (Correspondence), 711
nabumetone-induced (Correspondence), 549
psoriasis
addition of calcipotriol ointment to acitretin therapy, 84
calcipotriene-induced improvement and interleukin levels, 77
chronic plaque, narrow-band UVB phototherapy, 833
comparison of monotherapy and combination therapy, 254
diagnostic criteria (Correspondence), 917
effect of heliotherapy on cost, 288
erythrodermic, mycophenolate mofetil therapy (Correspondence), 1101
fumaric acid ester therapy, 456
keratinocyte reactions to IFN-gamma (Paper Abstract), 737
lymphocyte responsiveness to beta-streptococcal superantigens, 229
maintenance cyclosporin therapy (Correspondence), 561
methotrexate-treated, cobalamin metabolism (Correspondence), 1097
mycophenolate mofetil therapy (Case Report), 179
nail dystrophy, steroid injection protocol, 90
narrow-band UVB phototherapy, 96

quality of life measurement (Paper Abstract), 376
RANTES expression in skin, 63
roles of VEGF and ESAF in (Paper Abstract), 737
serum lipoprotein (a) level variation (Correspondence), 917
TGF-beta receptor down-regulation in epidermis, 57
vitamin D_3 receptor and retinoid X receptor, 225
psoriatic arthritis with dilated cardiomyopathy and Takayasu's arteritis (Case Report), 329
PUVA
in diffuse cutaneous reticulohistiocytosis (Correspondence), 720
in disabling pansclerotic morphoea of children (Correspondence), 201
and experimental contact sensitivity (Poster Abstract), 749
malignant melanoma following (Correspondence), 1100
time course of erythema (Paper Abstract), 734
pyloric atresia with non-lethal junctional epidermolysis bullosa (Paper Abstract), 741
pyoderma gangrenosum
penis (Case Report), 337
treatment with GM-CSF (Correspondence), 368

quality of life measurement in plaque psoriasis (Paper Abstract), 376

RANTES
expression in psoriatic skin, 63
regulation of production in cultured keratinocytes by tacalcitol, 63
recessive dystrophic epidermolysis bullosa, type VII collagen gene mutations (Paper Abstract) 732, (Case Report), 852
red fingers syndrome with hepatitis C cirrhosis (Correspondence), 193
red hair, inheritance (Poster Abstract), 748
reticulated purpura, following hysterosalpingography (Correspondence), 919
reticulohistiocytosis, diffuse cutaneous, PUVA in (Correspondence), 720
retinoic, acid
effect on MMP and PA production by pig skin organ culture (Poster Abstract), 752
topical, and suprabasal expression of epidermal integrins, 29
retinoid X receptor in psoriasis, 225
rheumatoid factor associated with peripheral ulcerative keratitis and erythema elevatum diutinum (Case Report), 893

S-100beta
effect of UV exposure on plasma levels (Correspondence), 1098
serum protein in malignant melanoma, 426
sarcoidosis
and hypoparathyroidism (Correspondence), 915
subcutaneous, effect of cyclosporin on (Correspondence), 1103
scabies, crusted, in HIV infection (Correspondence), 192
scalp
dermatophyte infection (Paper Abstract), 377
tufted folliculitis, 799
schizophrenia, repetitive hair pulling in (Correspondence), 1095
scleroderma, dermal mast cells in, 399
scrotal Paget's disease (Case Report), 689
seasonal irritant skin changes of the hands, 266
sebaceous gland transglutaminase 1 expression, 37
selenium compounds, effect on cytokine production and cell death (Paper Abstract), 734
sensitizing agents, keratinocyte participation in preimmune response to, 45
severe cutaneous adverse reactions, risks (Paper Abstract), 377
Sharp's syndrome and digital necrosis (Correspondence), 550
signet-ring cell carcinoma, cutaneous metastasis (Case Report), 145
skin cancer associations with Celtic ancestry and HLA phenotype, 627
skin pain following combined UVA and UVB phototherapy (Correspondence), 721
skin tags, human papillomavirus DNA in (Concise Communication), 649
Smith–Lemli–Opitz syndrome, photosensitivity in (Paper Abstract) 731, (Case Report), 885
snake venom, cutaneous inflammation (Poster Abstract), 743
soluble Fas levels in herpes zoster (Correspondence), 1091
spinulosis of the face as manifestation of demodicidosis (Case Report), 901
Spitz naevi, multiple widespread eruptive (Case Report), 872
squamous cell carcinoma in vulval lichen sclerosus (Case Report), 695
steatocystoma multiplex and leuconychia in Alagille syndrome (Case Report), 150
Still's disease, presentation as urticaria (Correspondence), 906
stratum corneum
non-uniform cellular packing, 583
T-cell stimulating antigens (Poster Abstract), 750
streptococcal impetigo and T-cell activation in atopic dermatitis (Correspondence), 357
stress delay barrier recovery in murine skin, 780
striae distensae, fibrillin microfibrils in, 931
subacute cutaneous lupus erythematosus, detection of anti-Ro/SSA antibodies (Concise Communication), 114
suction pads in thumb sucking and chewing (Correspondence), 1096
sun exposure
and atypical melanocytic naevi, 422
and skin ageing (Paper Abstract), 375
sun protection (Correspondence), 562
sunbeds, spectral measurement survey and hazard analysis (Paper Abstract), 729
sunscreen adequacy (Paper Abstract), 730
sweat gland transglutaminase 1 expression, 37
Sweet's syndrome and ulcerative colitis (Correspondence), 365
syphilis, nodular secondary (Case Report), 704

T-cell receptor variable region genes in cutaneous T-cell lymphoma, 3

T cells
apoptosis in delayed type hypersensitivy (Poster Abstract), 749
HSV-specific response in erythema multiforme lesions, 952
tacalcitol, regulation of RANTES and IL-8 production in cultured keratinocytes, 63
Takayasu's arteritis with psoriatic arthritis and dilated cardiomyopathy (Case Report), 329
tanning lamps, effects of UVB filters (Paper Abstract), 730
tattoos
and granuloma annulare (Correspondence), 360
metallothionein expression in skin (Correspondence), 359
tazarotene and genital ulcers (Correspondence), 713
terbinafine
acute generalized exanthematous pustulosis induced by (Correspondence), 709
cutaneous adverse effects (Case Report), 529
lupus erythematosus induced by (Correspondence), 708
thallium poisoning (Case Report), 321
thrombocytosis associated with leg ulceration (Case Report), 533
thumb sucking and chewing (Correspondence), 1096
thymidine phosphorylase expression in non-melanoma skin cancer (Poster Abstract), 752
thymine dimers in epidermis and dermis, and photoageing (Paper Abstract), 739
thyroid carcinoma and Langerhans cell histiocytosis (Correspondence), 909
tinea capitis, prevalence of undetected (Concise Communication), 658
tobacco smoke inhalation, urticaria following (Case Report), 486
topical therapy in childhood, 293
transforming growth factor-beta receptor down-regulation in psoriatic epidermis, 57
transglutaminase 1 expression in sebaceous glands, sweat glands and hair follicles, 37
Trichophyton, identification by PCR, 576
Trichophyton equinum transmission to humans (Case Report), 1082
tripe palms with systemic mastocytosis (Case Report), 698
tufted folliculitis of the scalp, 799
tumour necrosis factor-alpha
effect on collagen gene expression in cultured fibroblasts (Concise Communication), 118
effect of UV on induction in human skin, 216
and effect of UV on vascular permeability factor release, 221
modulation of epidermal Langerhans cell frequency (Poster Abstract), 751
promoter polymorphisms and actinic prurigo (Poster Abstract), 745
tumour suppressor gene deletions in subset of human sporadic malignant melanoma, 13
Turner's syndrome, genetic and environmental influences on melanocytic naevi, 993
ulcerative colitis, pustular eruption (Correspondence), 365
ulcerative keratitis, peripheral, associated with erythema elevatum diutinum and rheumatoid factor (Case Report), 893
ultrasound assessment of dermal oedema in leg ulcers, 815
ultraviolet radiation
action spectrum for immunosuppressive effects (Paper Abstract), 729
carcinogenesis, protective effects of polyunsaturated fatty acids (Poster Abstract), 745
effect on induction of TNF-alpha, 216
effect of UVB on cytotoxic T cell activity to herpes simplex virus (Paper Abstract), 729
effect on vascular permeability factor release, 221
exposure to, and mitochondrial DNA (Paper Abstract), 733
uncein expression in generalized atrophic benign epidermolysis bullosa (Correspondence), 904
urticaria
aspirin-sensitive, provocation with leukotriene receptor antagonist (Concise Communication), 483
autoimmune chronic, intravenous immunoglobulin, 101
basophil histamine release (Paper Abstract), 737
characteristics, 635
following tobacco smoke inhalation (Case Report), 486
and hepatitis C (Correspondence), 194
neutrophilic, 248
in Still's disease (Correspondence), 906

varicella zoster infection in HIV infection (Correspondence), 714
vascular endothelial growth factor
effect of minoxidil on expression, 407
in psoriasis (Paper Abstract), 737
vascular permeability factor release by keratinocytes, 221
vitamin D_3 receptor in psoriasis, 225
vitiligo, Koebner phenomenon in following laser therapy of port-wine stain (Correspondence), 200
vulva
lichen planus (Review Article), 569
lichen sclerosus, squamous cell carcinoma in (Case Report), 695

warts
anogenital in prepubertal children (Correspondence), 544
pigmented viral, 381
prevalence in Australian school students, 840
wound healing, epithelial control (Paper Abstract), 731

X-linked ichthyosis, relationship between cholesterol sulphate, dehydroepiandrosterone sulphate and age (Concise Communication), 655
xanthohistiocytoma, systemic (Case Report), 155
xeroderma pigmentosum
complementation groups (Case Report), 131
effect of isotretinoin therapy on natural killer cell activity, 236
fibroblast sensitivity after UVB irradiation or photodynamic therapy (Paper Abstract), 740
xerosis, HIV-associated, cutaneous mast cell distribution (Poster Abstract), 743

Zurich Prospective Metalworker Eczema Study (Paper Abstract), 375

Authors

ABE, M. *see* SATO, M.
ABE, M., ISHIKAWA, O. & MIYACHI, Y. Lupoid sycosis successfully treated with minocycline, 199
ABECK, D. *see* MÖHRENSCHLAGER, M.
ABERDAM, D. *see* KIRTSCHIG, G.
ACLAND, K.M., CHURCHYARD, A., FLETCHER, C.L., TURNER, K., LEES, A. & DOWD, P.M. Panniculitis in association with apomorphine infusion, 480
ACLAND, K.M., HAY, R.J. & GROVES, R. Cutaneous infection with *Alternaria alternata* complicating immunosuppression: successful treatment with itraconazole, 354
AHN, C.M. *see* KIM, S-C.
AHN, S.K. *see* LEE, I.W.
AHO, H. *see* HÄKKINEN, L.
AHSAN, K. *see* FUKUHARA, K.
AIBA, S. *see* HORIUCHI, N.
AIZAWA, H. *see* EBATA, T.
AJITHKUMAR, K. Unusual skin ulceration in an HIV-positive patient who had cutaneous syphilis and neurosyphilis, 366
AKAIKE, M. *see* FUKUHARA, K.
AKIMOTO, S. *see* KANBE, N.
AKIMOTO, S., ISHIKAWA, O., IGARASHI, Y., KUROSAWA, M. & MIYACHI, Y. Dermal mast cells in scleroderma: their skin density, tryptase/chymase phenotypes and degranulation, 399
AKIYAMA, M. *see* SATO, M.
AKIYAMA, M. *see* YONEDA, K.
AKOĞLU, T. *see* DEMIRÇAY, Z.
ALDRIDGE, R.D. *see* ALLAN, S.J.R.
ALIAGA, A. *see* MARTINEZ-ESCRIBANO, J.A.
ALLAN, S.J.R., MCLAREN, K. & ALDRIDGE, R.D. Paget's disease of the scrotum: a case exhibiting positive prostate-specific antigen staining and associated prostatic adenocarcinoma, 689
ALLEN, J. *see* BANFIELD, C.C.
ALLEN, J. *see* WAKELIN, S.H.
ALLEN, J. *see* WAKELIN, S.H.
ALLEN, M. *see* SKOV, L.
ALOMAR, A. *see* BARNADAS, M.A.
ALONSO-LLAMAZARES, J., DE PABLO, P., BALLESTÍN, C., GUERRA, A. & IGLESIAS, L. Cutaneous metastasis from a presumed signet-ring cell carcinoma in a 10-year old child, 145
ALPAY, K. *see* ÇIMŞİT, G.
ALT, M. *see* CRIBIER, B.
ALTMEYER, P. *see* MROWIETZ, U.
ALTMEYER, P. *see* VON KOBYLETZKI, G.
ALTMEYER, P. *see* VON KOBYLETZKI, G.
ALVAR, J. *see* ROUSTAN, G.
AMAYA-GUERRA, M. *see* SALAS-ALANIS, J.C.
AMEGLIO, F., D'AURIA, L., BONIFATI, C., FERRARO, C., MASTROIANNI, A. & GIACALONE, B. Cytokine pattern in blister fluid and serum of patients with bullous pemphigoid: relationships with disease intensity, 611
AMERIO, P. *see* CAPRONI, M.
ANDRAC-MEYER, L. *see* CASANOVA, D.
ANDRÉ, C. *see* DEGA, H.
ANDREISSEN, M.A. *see* GERRITSEN, M.J.P.
ANHALT, G.J. *see* KIM, S-C.
ANNESSI, G. Tufted folliculitis of the scalp: a distinctive clinicohistological variant of folliculitis decalvans, 799
ANOLIK, J.H., DI GIOVANNA, J.J. & GASPARI, A.A. Efect of isotretinoin therapy on natural killer cell activity in patients with xeroderma pigmentosum, 236
ANSTEY, A. *see* CHARMAN, C.R.
ANZAI, H., KIKUCHI, A., KINOSHITA, A. & NISHIKAWA, T. Recurrent annular erythema in juvenile chronic myelogenous leukaemia, 1058
ARASE, S. *see* FUKUHARA, K.
ARASE, S. *see* TAKIWAKI, H.
ARCHER, C.B. *see* CONDON, C.A.
ARCHER, C.B. *see* KAVANAGH, G.M.
ARLET-SUAU, E. *see* GACHES, F.
ARLETT, C.F. *see* CHARMAN, C.R.
ARMSTRONG, D.K.B., BINGHAM, E.A., DINSMORE, W.W., SWANN, A. & HANDLEY, J.M. Anogenital warts in prepubertal children: a follow-up study, 544
AROCK, M. *see* CHOSIDOW, O.
AROMAA, A. *see* SNELLMAN, E.
ARÓSTEGUI, J. *see* BARNADAS, M.A.
ARTOLA IGARZA, J.L. *see* LINARES-BARRIOS, M.
ASHTON, G.H.S. *see* SALAS-ALANIS, J.C.
ASKARI, A. *see* TODD, D.J.
ASTE, N., PAU, M., FERRELI, C. & BIGGIO, P. Intralesional treatment of cutaneous leishmaniasis with meglumine atimoniate, 370
ATANI, L. *see* CAPRONI, M.
ATHERTON, D.J. *see* MELLERIO, J.E.
AUBIN, F. *see* OSAER, F.
AURELIAN, L. *see* KOKUBA, H.
AYAKI, H. *see* HAN, Z-B.
AZEVEDO, F. *see* VIEIRA MOTA, A.

BABA, T., NOMURA, K., HANADA, K. & HASHIMOTO, I. Immediate-type heat urticaria: report of a case and study of plasma histamine release, 326
BADELL, A., SERVITJE, O., GRAELLS, J., VIDALLER, A. & PEYRI, J. Hypoparathyroidism and sarcoidosis, 915
BADSGAARD, O. *see* SKOV, L.
BAGOT, M. *see* BAHADORAN, P.
BAGOT, M. *see* OLLIVIER, I.
BAHADORAN, P. *see* DESRUELLES, F.
BAHADORAN, P., WECHSLER, J., DELFAU-LARUE, M-H., GABISON, G., REVUZ, J. & BAGOT, M. Mycosis fungoides presenting as keratosis lichenoides chronica, 1067
BALDINI, F. *see* BORRONI, G.
BALLARÍN, J. *see* BARNADAS, M.A.
BALLESTÍN, C. *see* ALONSO-LLAMAZARES, J.
BANFIELD, C.C., WOJNAROWSKA, F., ALLEN, J., GEORGE, S.,

VENNING, V.A. & WELSH, K.I. The association of HLA-DQ7 with bullous pemphigoid is restricted to men, 1085
BANKOWSKA, U. *see* HOLMES, S.C.
BARAN, R., GUILLOT, P. & TOSTI, A. Metastasis from carcinoma of the bronchus to the distal aspect of two digits, 708
BARBAUD, A. *see* SCHMUTZ, J.L.
BARBIERI, L. *see* PARODI, A.
BARDOT, J. *see* CASANOVA, D.
BARKER, J.N.W.N. *see* SKOV, L.
BARLOW, R.J. *see* O'DONNELL, B.F.
BARNADAS, M.A., GELPÍ, C., ROCAMORA, V., BARÓ, E., BALLARÍN, J., NADAL, C., BIELSA, A., ARÓSTEGUI, J. & ALOMAR, A. Bullous pemphigoid associated with acute glomerulonephritis, 867
BARNES, L. *see* MURPHY, M.
BARÓ, E. *see* BARNADAS, M.A.
BARR, R.M. *see* O'DONNELL, B.F.
BARRETT, T.L. *see* SMITH, K.J.
BASARAB, T. & GRIFFITHS, W.A.D. Renal biopsy findings in long-term cyclosporin treatment of psoriasis, 562
BATSIOS, K. *see* IOANNIDES, D.
BAUR, S.I. *see* SCHÖFER, H.
BAYLAC, F. *see* SCHMUTZ, J.L.
BÉCHEREL, P-A. *see* CHOSIDOW, O.
BECHTEL, M.J., WYSOCKI, N.S., HEIDTMANN, A., STARK, H-J., FUSENIG, N., KRAMER, M.D. & SCHAEFER, B.M. Plasminogen activator inhibitor type 2 is expressed in keratinocytes during re-epithelialization of epidermal defects, 22
BECKER-WEGERICH, P.M., FRITSCH, C., SCHULTE, K.W., MEGAHED, M., NEUSE, W., GOERZ, G., STAHL, W. & RUZICKA, T. Carbon dioxide laser treatment of extramammary Paget's disease guided by photodynamic diagnosis, 169
BEDANE, C. *see* BOULINGUEZ, S.
BEDANE, C. *see* KIRTSCHIG, G.
BEHAM, A. *see* MÖHRENSCHLAGER, M.
BEISSERT, S. *see* HAUFS, M.G.
BELTRAMI, B. *see* BORRONI, G.
BENFELDT, E. *see* FULLERTON, A.
BENNETT, A.R. *see* CLOUGH, G.F.
BENTON, E.C. *see* HORN, C.K.
BERBER, E. *see* BOZBORA, A.
BERNARD, P. *see* BOULINGUEZ, S.
BESSIS, D., SOTTO, A., ROUBERT, P., CHABRIER, P-E., MOURAD, G. & GUILHOU, J-J. Endothelin-secreting angiosarcoma occurring at the site of an arteriovenous fistula for haemodialysis in a renal transplant recipient, 361
BETTACCHI, A. *see* PAPINI, M.
BETTINGER, D. *see* OSAER, F.
BEYLOT, C. *see* DOUTRE, M.S.
BEYLOT-BARRY, M. *see* DOUTRE, M.S.
BHATT, H.R. *see* FARRELL, A.M.
BHOGAL, B.S. *see* SETTERFIELD, J.
BHOGAL, B.S. *see* WAKELIN, S.H.
BIANCHI, B. *see* CAPRONI, M.
BIEBER, T. *see* WOLLENBERG, A.
BIELSA, A. *see* BARNADAS, M.A.
BIGGERI, A. *see* CARLI, P.
BIGGIO, P. *see* ASTE, N.
BINGHAM, E.A. *see* ARMSTRONG, D.K.B.
BIRK JENSEN, S. *see* FULLERTON, A.
BLACK, M.M. *see* FARRELL, A.M.
BLACK, M.M. *see* SETTERFIELD, J.
BLACK, M.M. *see* WAKELIN, S.H.
BLANC, A-S. *see* GACHES, F.
BLEIKER, T.O. & BURNS, D.A. Darier's disease with hypopigmented macules, 913
BÖCKING, A. *see* KIEHL, P.
BOEYNAEMS, J-M. *see* HEDLEY, S.J.
BOMBÍ, J.A. *see* FERRANDO, J.
BONAFE, J.L. *see* LACHGAR, S.
BONIFATI, C. *see* AMEGLIO, F.
BONNETBLANC, J.M. *see* BOULINGUEZ, S.
BORGHINI, F. *see* BORRONI, G.
BORRONI, G., BRAZZELLI, V., BALDINI, F., BORGHINI, F., GAVAGLIO, M.R., BELTRAMI, B. & NOLLI, G. Flutamide-induced pseudoporphyria, 711
BOUFFIOUX, B. *see* TROMME, I.
BOULINGUEZ, S., BERNARD, P., BEDANE, C., LE BRUN, V. & BONNETBLANC, J.M. Bullous pemphigoid induced by bumetanide, 548
BOULOC, A., VIGNON-PENNAMEN, M-D., CAUX, F., TEILLAC, D., WECHSLER, J., HELLER, M., LEBBÉ, C., FLAGEUL, B., MOREL, P., DUBERTRET, L. & PROST, C. Lichen planus pemphigoides is a heterogeneous disease: a report of five cases studied by immunoelectron microscopy, 972
BOURKE, J.F. *see* OSBORNE, J.E.
BOWER, C.P.R. *see* DOWNS, A.M.R.
BOZBORA, A., ERBIL, Y., BERBER, E., ÖZARMAĞAN, S. & ÖZARMAĞAN, G. Surgical treatment of granuloma inguinale, 1079
BRAATHEN, L.R. *see* YAWALKAR, N.
BRACKA, A. *see* FARRELL, A.M.
BRADDOCK, S.W. *see* GUPTA, A.K.
BRAND, C.U. *see* YAWALKAR, N.
BRAZZELLI, V. *see* BORRONI, G.
BRESSON-HADNI, S. *see* OSAER, F.
BRICAIRE, F. *see* IBORRA, C.
BRIEDIGKEIT, L. *see* WAGNER, S.N.
BUCCI, M. *see* DIANZANI, C.
BUNKER, C.B. *see* FARRELL, A.M.
BUNKER, C.B. *see* FARRELL, A.M.
BUNKER, C.B. *see* FARRELL, A.M.
BURD, R. *see* SOMMER, S.
BURG, G. *see* VILLENEUVE, P.
BURNETT, J.W. *see* KOKUBA, H.
BURNS, D.A. *see* BLEIKER, T.O.
BURROWS, N.P. *see* SARKANY, R.P.E.
BURTON, I. *see* OSAER, F.
BUTTERFIELD, J.H. Response of severe systemic mastocytosis to interferon alpha, 489

CALVIERI, S. *see* DIANZANI, C.
CAMBAZARD, F. *see* VAN DE KERKHOF, P.C.M.
CAMBIAGHI, S. & PISTRITTO, G. Suction pads related to thumb sucking and chewing, 1096
CAMBIAGHI, S., RIVA, S., RAMACCIONI, V., GRIDELLI, B. & GELMETTI, C. Steatocystoma multiplex and leuconychia in a child with Alagille syndrome, 150
CAMERON, H. *see* DAWE, R.S.
CAMERON, H. *see* DAWE, R.S.
CAMPO-VOEGELI, A. *see* FERRANDO, J.
CAPRONI, M., FELICIANI, C., FULIGNI, A., SALVATORE, E., ATANI, L., BIANCHI, B., MOHAMMAD POUR, S., PROIETTO, G., TOTO, P., COSCIONE, G., AMERIO, P. & FABBRI, P. Th2-like cytokine activity in dermatitis herpetiformis, 242
CAPUTO, R. *see* MARZANO, A.V.
CARLI, P., BIGGERI, A., NARDINI, P., DE GIORGI, V. & GIANNOTTI, B. Sun exposure and large numbers of common and atypical melanocytic naevi: an analytical study in a southern European population, 422
CARMI, R. *see* ZVULUNOV, A.
CARR, M.M. *see* LANGTRY, J.A.A.
CARRIÈRE, J. *see* IBORRA, C.
CASANOVA, D., BARDOT, J., ANDRAC-MEYER, L. & MAGALON, G. Early curettage of giant congenital naevi in children, 341
CATTANEO, A. *see* MOZZANICA, N.
CAUMES, E. *see* IBORRA, C.
CAUX, F. *see* BOULOC, A.
CAUX, F. *see* KIRTSCHIG, G.
CAVELIER-BALLOY, B. *see* IBORRA, C.
CEBALLOS-BAUMANN, A. *see* HECKMANN, M.
CEVC, G. *see* SCHÄTZLEIN, A.
CHABRIER, P-E. *see* BESSIS, D.
CHAKRABORTY, A.K. *see* NAGAHAMA, M.
CHALLACOMBE, S.J. *see* SETTERFIELD, J.
CHALMERS, R.J.G. *see* VAN DE KERKHOF, P.C.M.
CHAN, L.S *see* LAPINSKI, P.
CHANG, F.-R. *see* TSAI, S.-J.
CHANG, S.N. *see* KIM, S-C.
CHAO, S.-C. *see* LEE, J.Y-Y.
CHAPMAN, M.S., ZUG, K.A. & LEWIS, L.D. Lamotrigine and phenobarbitone-associated hypersensitivity syndrome: resolution without corticosteroids, 710
CHARMAN, C.R., RYAN, A., TYRRELL, R.M., PEARSE, A.D., ARLETT, C.F., KURWA, H.A., SHORTLAND, G. & ANSTEY, A. Photosensitivity associated with the Smith–Lemli–Opitz syndrome, 885
CHARVERON, M. *see* LACHGAR, S.
CHEN, K-R., TANAKA, M. & MIYAKAWA, S. Granulomatous mycosis fungoides with small intestinal involvement and a fatal outcome, 522
CHERRY, G.W. *see* HU, D.
CHINNI, L. *see* MAZZANTI, C.
CHOI, E.H. *see* LEE, I.W.
CHOI, J.H. *see* JANG, K.A.
CHOI, J.H. *see* KANG, S.
CHOSIDOW, O. *see* DEGA, H.
CHOSIDOW, O., BÉCHEREL, P-A., PIETTE, J-C., AROCK, M., DEBRÉ, P. & FRANCÈS, C. Tripe palms associated with systemic mastocytosis: the role of transforming growth factor-α and efficacy of interferon-alfa, 698
CHRISTOPHERS, E. *see* MROWIETZ, U.
CHU, A.C. *see* PAPAGEORGIOU, P.P.
CHURCH, M.K. *see* CLOUGH, G.F.
CHURCHYARD, A. *see* ACLAND, K.M.
CIANCHINI, G. *see* COLONNA, L.
ÇIMŞİT, G., ÖREM, A., DEĞER, O., ALPAY, K., KIRAN, E. & ÖREM, C. The variation of serum lipoprotein (a) level with disease activity in psoriasis, 917
CLAES, G. *see* DROTT, C.
CLAUDY, A. *see* GHOHESTANI, R.F.
CLOUGH, G.F., BENNETT, A.R. & CHURCH, M.K. Effects of H_1 antagonists on the cutaneous vascular response to histamine and bradykinin: a study using scanning laser Doppler imaging, 806
COCKAYNE, S.E., SHAH, M., SLATER, D.N. & HARRINGTON, C.I. Spindle and pseudoglandular squamous cell carcinoma arising in lichen sclerosus of the vulva, 695
COCKERELL, C.J. *see* SIMPSON, E.L.
COLEMAN, R. *see* COX, H.E.
COLLINS, P. *see* RUSSELL, S.C.
COLLOBY, P. *see* OSBORNE, J.E.
COLONNA, L., CIANCHINI, G., FREZZOLINI, A., DE PITÀ, O., DI LELLA, G. & PUDDU, P. Intravenous immunoglobulins for pemphigus vulgaris: adjuvant or first choice therapy?, 1102
COMBEMALE, P. *see* VAN DE KERKHOF, P.C.M.
CONDON, C.A., DOWNS, A.M.R. & ARCHER, C.B. Terbinafine-induced acute generalized exanthematous pustulosis, 709
CONEJO-MIR, J.S. *see* LINARES-BARRIOS, M.
CONILL, C. *see* FERRANDO, J.
COOK, T. *see* POWLES, A.V.
COOKSON, W.O.C.M. *see* COX, H.E.
CORREIA, O. *see* VIEIRA MOTA, A.
COSCIONE, G. *see* CAPRONI, M.
COSNES, A. *see* OLLIVIER, I.
COSSU, S. *see* COTTONI, F.
COTTONI, F., MASALA, M.V. & COSSU, S. Acantholytic dyskeratotic epidermal naevus localized unilaterally in the cutaneous and genital areas, 875
COULSON, I.H. *see* TUCKER, S.C.
COURET, B. *see* GACHES, F.
COURTIN, C. *see* TROMME, I.
COX, H.E., MOFFATT, M.F., FAUX, J.A., WALLEY, A.J., COLEMAN, R., TREMBATH, R.C., COOKSON, W.O.C.M. & HARPER, J.I. Association of atopic dermatitis to the beta subunit of the high affinity immunogobulin E receptor, 182
CRIBIER, B. *see* LIPSKER, D.
CRIBIER, B., MARQUART-ELBAZ, C., LIPSKER, D., ALT, M. & GROSSHANS, E. Chronic buccal ulceration induced by nicorandil, 372
CRONE, A.M. & JAMES, M.P. Acquired linear anetoderma following angular cheilitis, 922

CROSBY, J. *see* DE FINE OLIVARIUS, F.
CRUCES, M.J. *see* LOSADA, A.
CUÉTARA, M.S., DEL PALACIO, A., PEREIRO, M. & NORIEGA, A.R. Prevalence of undetected tinea capitis in a prospective school survey in Madrid: emergence of new causative fungi, 658
CUNLIFFE, W.J. *see* SEUKERAN, D.C.

D'AURIA, L. *see* AMEGLIO, F.
DAHL, M.G.C. *see* DU PLESSIS, P.J.
DAHL, M.G.C. *see* MCBRIDE, S.R.
DALMAN, P. *see* DROTT, C.
DAMSTRA, R.J. *see* VAN DE KERKHOF, P.C.M.
DANIS, M. *see* IBORRA, C.
DARKE, C. *see* LONG, C.C.
DARLEY, C.R. *see* WOOLLONS, A.
DAVIS, L.S. *see* RINKER, M.H.
DAWE, R.S. *see* RUSSELL, S.C.
DAWE, R.S., CAMERON, H. & LOWE, J.G. PUVA for diffuse cutaneous reticulohistiocytosis, 720
DAWE, R.S., WAINWRIGHT, N.J., CAMERON, H. & FERGUSON, J. Narrow-band (TL-01) ultraviolet B phototherapy for chronic plaque psoriasis: three times or five times weekly treatment?, 833
DAWE, R.S., WAINWRIGHT, N.J., EVANS, A.T. & LOWE, J.G. Multiple widespread eruptive Spitz naevi, 872
DE BERKER, D.A.R. & LAWRENCE, C.M. A simplified protocol of steroid injection for psoriatic nail dystrophy, 90
DE CASTRO, A. *see* FARIÑA, M.C.
DE DOBBELEER, G. *see* SIMONART, T.
DE FINE OLIVARIUS, F., LOCK-ANDERSEN, J., GRØNHØJ LARSEN, F., WULF, H.C., CROSBY, J. & NORVAL, M. Urocanic acid isomers in patients with basal cell carcinoma and cutaneous malignant melanoma, 986
DE GIORGI, V. *see* CARLI, P.
DE JULI, E. *see* MARZANO, A.V.
DE LA TORRE, C. *see* LOSADA, A.
DE PABLO, P. *see* ALONSO-LLAMAZARES, J.
DE PITÀ, O. *see* COLONNA, L.
DE WIT, R.F.E. *see* ZOMER, S.F.
DEĞER, O. *see* ÇIMŞİT, G.
DEBRÉ, P. *see* CHOSIDOW, O.
DEGA, H., LAPORTE, J.L., JOLY, P., GABARRE, J., ANDRÉ, C., DELPECH, A., FRANCÈS, C. & CHOSIDOW, O. Paraneoplastic pemphigus associated with Hodgkin's disease, 196
DEGENER, A.M. *see* DIANZANI, C.
DEL PALACIO, A. *see* CUÉTARA, M.S.
DEL PINO GIL-MATEO, M. *see* MARTINEZ-ESCRIBANO, J.A.
DEL ROSSO, J.Q. *see* GUPTA, A.K.
DELFAU-LARUE, M-H. *see* BAHADORAN, P.
DELFINO, M., PROCACCINI, E.M., ILLIANO, G.M.P. & MILONE, A. X-linked ichthyosis: relation between cholesterol sulphate, dehydroepiandrosterone sulphate and patient's age, 655
DELPECH, A. *see* DEGA, H.
DEMIRÇAY, Z., EKŞIOĞLU-DEMIRALP, E., ERGUN, T. & AKOĞLU, T. Phagocytosis and oxidative burst by neutrophils in patients with recurrent furunculosis, 1036
DENDA, M., TSUCHIYA, T., HOSOI, J. & KOYAMA, J. Immobilization-induced and crowded environment-induced stress delay barrier recovery in murine skin, 780
DENYER, J.E. *see* MELLERIO, J.E.
DESRUELLES, F., BAHADORAN, P., LACOUR, J-P., PERRIN, C., SANTINI, J. & ORTONNE, J-P. Giant oral aphthous ulcers induced by nicorandil, 712
DI CESARE, M-P. *see* LIPSKER, D.
DI GIOVANNA, J.J. *see* ANOLIK, J.H.
DI LELLA, G. *see* COLONNA, L.
DIANZANI, C., CALVIERI, S., PIERANGELI, A., IMPERI, M., BUCCI, M. & DEGENER, A.M. The detection of human papillomavirus DNA in skin tags, 649
DICKINSON, A.J. *see* DU PLESSIS, P.J.
DIEPGEN, T.L. *see* SCHULTZ, E.S.
DIFFEY, B.L. Sun protection: have we gone too far?, 562
DILLON, J.P. *see* SHARPE, G.R.
DINSMORE, W.W. *see* ARMSTRONG, D.K.B.
DOBBELAERE, F. *see* TROMME, I.
DOUTRE, M.S., BEYLOT-BARRY, M. & BEYLOT, C. Urticaria and hepatitis C infection, 194
DOWD, P.M. *see* ACLAND, K.M.
DOWNS, A.M.R. *see* CONDON, C.A.
DOWNS, A.M.R., LEAR, J.T., BOWER, C.P.R. & KENNEDY, C.T.C. Does influenza vaccination induce bullous pemphigoid? A report of four cases, 363
DROSERA, M. *see* PARODI, A.
DROTT, C., CLAES, G., OLSSON-REX, L., DALMAN, P., FAHLÉN, T. & GÖTHBERG, G. Successful treatment of facial blushing by endoscopic transthoracic sympathicotomy, 639
DU PLESSIS, P.J., DAHL, M.G.C., MALCOLM, A.J., SVILAND, L., DICKINSON, A.J. & LAWRENCE, C.M. Mohs surgery of periocular basal cell carcinoma using formalin-fixed sections and delayed closure, 1003
DUBERTRET, L. *see* BOULOC, A.
DUCLOUX, S. *see* OSAER, F.
DUGERNIER, T. *see* TROMME, I.
DUPUIS, M. *see* TROMME, I.
DURHAM, B. *see* SHARPE, G.R.

EADY, R.A.J. *see* KIRTSCHIG, G.
EADY, R.A.J. *see* MELLERIO, J.E.
EADY, R.A.J. *see* SALAS-ALANIS, J.C.
EBATA, T., IZUMA, H., AIZAWA, H., KAMIDE, R. & NIIMURA, M. Effects of nitrazepam on nocturnal scratching in adults with atopic dermatitis: a double-blind placebo-controlled crossover study, 631
EGAWA, K., HONDA, Y., INABA, Y. & ONO, T. Pigmented viral warts: a clinical and histopathological study including human papillomavirus typing, 381
EGAWA, K., KITASATO, H., HONDA, Y., KAWAI, S., MIZUSHIMA, Y. & ONO, T. Human papillomavirus 57 identified in a plantar epidermoid cyst, 510
EKŞIOĞLU-DEMIRALP, E. *see* DEMIRÇAY, Z.
EKTAISH, F. *see* TODD, D.J.

EL, M. *see* GRÄSER, Y.
ELSNER, P. *see* VILLENEUVE, P.
ERBIL, Y. *see* BOZBORA, A.
ERDELKAMP, J. *see* KIEHL, P.
ERGUN, T. *see* DEMIRÇAY, Z.
ERIKSSON, M-O., HAGFORSEN, E., LUNDIN, I.P. & MICHAëLSSON, G. Palmoplantar pustulosis: a clinical and immunohistological study, 390
ESCALONILLA, P. *see* FARIÑA, M.C.
ESCALONILLA, P. *see* REQUENA, L.
ESTERLY, N.B. *see* ZVULUNOV, A.
EVANS, A.T. *see* DAWE, R.S.
EVANS, E.G.V. *see* ROBERTS, D.T.
EVANS, S. *see* GRADWELL, E.

FABBRI, P. *see* CAPRONI, M.
FAHLÉN, T. *see* DROTT, C.
FALLOWFIELD, M. *see* LUCKE, T.W.
FANCHER, L. *see* KANG, S.
FARI,
see GRÄSER, Y.
FARIÑA, M.C., REQUENA, L., SARASA, J.L., MARTÍN, L., ESCALONILLA, P., SORIANO, M.L., GRILLI, R. & DE CASTRO, A. Spinulosis of the face as a manifestation of demodicidosis, 901
FARRELL, A.M., BHATT, H.R. & BUNKER, C.B. Screening of cobalamin metabolism in methotrexate-treated psoriatics, 1097
FARRELL, A.M., BLACK, M.M., BRACKA, A. & BUNKER, C.B. Pyoderma gangrenosum of the penis, 337
FARRELL, A.M., ROSS, J.S., BUNKER, C.B. & STAUGHTON, R.C.D. Crusted scabies with scalp involvement in HIV-1 infection, 192
FAUX, J.A. *see* COX, H.E.
FEAL-CORTIZAS, C. *see* VARGAS-DÍEZ, E.
FELICIANI, C. *see* CAPRONI, M.
FERGUSON, J. *see* DAWE, R.S.
FERGUSON, J. *see* RUSSELL, S.C.
FERNANDEZ-FREZ, M.L. *see* NAGAHAMA, M.
FERNÁNDEZ-HERRERA, J. *see* VARGAS-DÍEZ, E.
FERRANDO, J., CAMPO-VOEGELI, A., SOLER-CARRILLO, J., MUÑOZ, E., SOLÉ, M., PALOU, J., CONILL, C., GRAUS, F., BOMBÍ, J.A. & MASCARO, J.M. Systemic xanthohistiocytoma: a variant of xanthoma disseminatum?, 155
FERRARO, C. *see* AMEGLIO, F.
FERRELI, C. *see* ASTE, N.
FIALLO, P. Cyclosporin for the treatment of granuloma annulare, 369
FINE, J.D. *see* JONKMAN, M.F.
FINK-PUCHES, R. *see* HOFER, A.
FINLAY, A.Y. *see* LAWSON, V.
FINLAY, A.Y. *see* LONG, C.C.
FISHER-FELD, L. *see* SHPIRO, D.
FISKERSTRAND, E.J., SVAASAND, L.O. & VOLDEN, G. Pigmentary changes after pulsed dye laser treatment in 125 northern European patients with port wine stains, 477
FLAGEUL, B. *see* BOULOC, A.
FLETCHER, C.L. *see* ACLAND, K.M.
FORSEA, D. *see* POPESCU, C.M.
FORTON, F., SEYS, B., MARCHAL, J-L. & SONG, M. *Demodex folliculorum* and topical treatment: acaricidal action evaluated by standardized skin surface biopsy, 461
FRAGA, J. *see* VARGAS-DÍEZ, E.
FRANCÈS, C. *see* CHOSIDOW, O.
FRANCÈS, C. *see* DEGA, H.
FRANCIS, D.M. *see* O'DONNELL, B.F.
FRASER, W.D. *see* SHARPE, G.R.
FREZZOLINI, A. *see* COLONNA, L.
FRITSCH, C. *see* BECKER-WEGERICH, P.M.
FROSCH, P.J. *see* SCHNUCH, A.
FRY, L. *see* POWLES, A.V.
FUKUHARA, K., URANO, Y., AKAIKE, M., AHSAN, K. & ARASE, S. Psoriatic arthritis associated with dilated cardiomyopathy and Takayasu's arteritis, 329
FUKUOKA, M., OGINO, Y., SATO, H., OHTA, T., KOMORIYA, K., NISHIOKA, K. & KATAYAMA, I. RANTES expression in psoriatic skin, and regulation of RANTES and IL-8 production in cultured epidermal keratinocytes by active vitamin D_3 (tacalcitol), 63
FULIGNI, A. *see* CAPRONI, M.
FULLERTON, A., BENFELDT, E., ROED PETERSEN, J., BIRK JENSEN, S. & SERUP, J. The calcipotriol dose–iritation relationship: 48 hour occlusive testing in healthy volunteers using Finn Chambers®, 259
FUNASAKA, Y. *see* NAGAHAMA, M.
FUNG, W.K.K. *see* LEUNG, C.S.
FURUKAWA, F. *see* SUZUKI, Y.
FURUKAWA, F. *see* TOKURA, Y.
FUSENIG, N. *see* BECHTEL, M.J.

GABARRE, J. *see* DEGA, H.
GABISON, G. *see* BAHADORAN, P.
GACHES, F., BLANC, A-S., COURET, B. & ARLET-SUAU, E. Digital necroses and Sharp's syndrome: the success of topical application of granulocyte/macrophage-colony stimulating factor in promoting healing after amputation of three toes, 550
GALL, Y. *see* LACHGAR, S.
GALLAGHER, J.A. *see* SHARPE, G.R.
GALLEGO, J.L. *see* ROUSTAN, G.
GARCIA BARTELS, C. *see* GEILEN, C.C.
GARCÍA-DÍEZ, A. *see* VARGAS-DÍEZ, E.
GARCÍA-DOVAL, I. *see* LOSADA, A.
GASPARI, A.A. *see* ANOLIK, J.H.
GASPARINI, G. *see* MARZANO, A.V.
GAVAGLIO, M.R. *see* BORRONI, G.
GAWKRODGER, D.J. Editor's Choice, 1
GAWKRODGER, D.J. Editor's choice, 205
GAWKRODGER, D.J. Editor's choice, 379
GAWKRODGER, D.J. Editor's choice, 567
GAWKRODGER, D.J. Editor's choice, 755
GAWKRODGER, D.J. Editor's choice, 929
GAWKRODGER, D.J. *see* HEDLEY, S.J.

GAWKRODGER, D.J. *see* LITTLE, M.C.
GEFELLER, O. *see* UTER, W.
GEFELLER, O., HASSAN, K. & WILLE, L. Cutaneous malignant melanoma in women and the role of oral contraceptives, 122
GEIER, J. *see* SCHNUCH, A.
GEILEN, C.C., TEBBE, B., GARCIA BARTELS, C., KRENGEL, S. & ORFANOS, C.E. Successful treatment of erythrodermic psoriasis with mycophenolate mofetil, 1101
GELMETTI, C. *see* CAMBIAGHI, S.
GELPÍ, C. *see* BARNADAS, M.A.
GEORGE, S. *see* BANFIELD, C.C.
GERRITSEN, M.J.P., GRUINTJES, F.W.G., ANDREISSEN, M.A., VAN DER VALK, P.G.M. & VAN DE KERKHOF, P.C.M. Lichen simplex chronicus as a complication of herpes zoster, 921
GHANEM, G. *see* HEDLEY, S.J.
GHERARDI, R. *see* OLLIVIER, I.
GHOHESTANI, R.F. & CLAUDY, A. Epidermal-binding circulating antibodies in epidermolysis bullosa acquisita: what are they?, 195
GIACALONE, B. *see* AMEGLIO, F.
GIANNOTTI, B. *see* CARLI, P.
GIBBS, S. *see* LONSDALE, R.N.
GILAT, D. *see* SHPIRO, D.
GIL-VERNET, S. *see* JUCGLÀ, A.
GOBELLO, T. *see* MAZZANTI, C.
GOERZ, G. *see* BECKER-WEGERICH, P.M.
GOLD, I. *see* SHPIRO, D.
GONZALEZ-CASTRO, J., IRANZO, P., PALOU, J. & MASCARÓ, J.M. Extramammary Paget's disease involving the external ear, 914
GOODYEAR, H.M. & HARPER, J.I. Virus characterization studies in eczema herpeticum, 545
GOOS, M. *see* WAGNER, S.N.
GORDON, P. *see* LANGTRY, J.A.A.
GÖTHBERG, G. *see* DROTT, C.
GOULDEN, V. & WILKINSON, S.M. Patch testing for Compositae allergy, 1018
GRABBE, S. *see* HAUFS, M.G.
GRADWELL, E. & EVANS, S. Perforating granuloma annulare complicating tattoos, 360
GRAELLS, J. *see* BADELL, A.
GRAELLS, J. *see* JUCGLÀ, A.
GRAHAM, C. *see* LEAR, J.T.
GRAHAM-BROWN, R.A.C. *see* OSBORNE, J.E.
GRAMMATICA, A. *see* MARZANO, A.V.
GRANT, J.W. *see* SARKANY, R.P.E.
GRÄSER, Y., EL, M., FARI, , PRESBER, W., STERRY, W. & TIETZ, H-J. Identification of common dermatophytes (*Trichophyton, Microsporum, Epidermophyton*) using polymerase chain reactions, 576
GRAUS, F. *see* FERRANDO, J.
GREAVES, M.W. *see* KAVANAGH, G.M.
GREAVES, M.W. *see* O'DONNELL, B.F.
GREGEL, C. *see* SCHÖFER, H.
GREINER, D. *see* KAUFMANN, R.
GRIDELLI, B. *see* CAMBIAGHI, S.
GRIFFITHS, C.E.M. *see* KANG, S.
GRIFFITHS, C.E.M. *see* WATSON, R.E.B.
GRIFFITHS, W.A.D. *see* BASARAB, T.
GRILLI, R. *see* FARIÑA, M.C.
GRINYÓ, J.M. *see* JUCGLÀ, A.
GRØNHØJ LARSEN, F. *see* DE FINE OLIVARIUS, F.
GROSSHANS, E. *see* CRIBIER, B.
GROSSHANS, E. *see* LIPSKER, D.
GROTRIAN, K. *see* TRONNIER, M.
GROVES, R. *see* ACLAND, K.M.
GRUINTJES, F.W.G. *see* GERRITSEN, M.J.P.
GUERRA, A. *see* ALONSO-LLAMAZARES, J.
GUIDUCCI, A. *see* PAPINI, M.
GUILHOU, J-J. *see* BESSIS, D.
GUILLOT, P. *see* BARAN, R.
GUPTA, A.K., LYNDE, C.W., LAUZON, G.J., MEHLMAUER, M.A., BRADDOCK, S.W., MILLER, C.A., DEL ROSSO, J.Q. & SHEAR, N.H. Cutaneous adverse effects associated with terbinafine therapy: 10 case reports and a review of the literature, 529
GUTIÉRREZ-SOLAR, B. *see* ROUSTAN, G.

HAAS, N. *see* TOPPE, E.
HAFNER, J. *see* VILLENEUVE, P.
HAGARI, Y., MIHARA, M., KONOHANA, I., UEKI, H., YAMAMOTO, O. & KOIZUMI, H. Nodular localized cutaneous amyloidosis: further demonstration of monoclonality of infiltrating plasme cells in four additional Japanese patients, 652
HAGFORSEN, E. *see* ERIKSSON, M-O.
HÄKKINEN, L., WESTERMARCK, J., JOHANSSON, N., AHO, H., PELTONEN, J., HEINO, J. & KÄHÄRI, V-M. Suprabasal expression of epidermal $\alpha 2\beta 1$ and $\alpha 3\beta 1$ integrins in skin treated with topical retinoic acid, 29
HAMILTON, T.A. *see* KANG, S.
HAN, D. *see* LOPEZ-TORRES, M.
HAN, Z-B., HARA, R., AYAKI, H., WANG, J-H., SUN, L-Y., YOU, Y., ZHANG, Y-P., QIANG, K-X. & IKENAGA, M. Assignment of three Chinese xeroderma pigmentosum patients to complementation group C and one to group E, 131
HANADA, K. & HASHIMOTO, I. Metallothionein expression in tatooed skin, 359
HANADA, K. & HASHIMOTO, I. Severe skin pain after combined ultraviolet B and ultraviolet A phototherapy for atopic dermatitis, 721
HANADA, K. *see* BABA, T.
HANAKAWA, T., TOHYAMA, M., SHIRAKATA, Y., MURAKAMI, S. & HASHIMOTO, K. Food-dependent exercise-induced anaphylaxis: a case related to the amount of food allergen ingested, 898
HANDFIELD-JONES, S.E. Latex allergy in health-care workers in an English district general hospital, 273
HANDLEY, J.M. *see* ARMSTRONG, D.K.B.
HANEKE, E. *see* VAN DE KERKHOF, P.C.M.
HANSEN, H. *see* SKOV, L.
HARA, R. *see* HAN, Z-B.
HARDMAN, C.M. *see* POWLES, A.V.

HARPER, J.I. *see* COX, H.E.
HARPER, J.I. *see* GOODYEAR, H.M.
HARPER, J.I. *see* HOEGER, P.H.
HARPER, J.I. *see* LANGTRY, J.A.A.
HARRINGTON, C.I. *see* COCKAYNE, S.E.
HASHIMOTO, I. *see* BABA, T.
HASHIMOTO, I. *see* HANADA, K.
HASHIMOTO, I. *see* HANADA, K.
HASHIMOTO, K. *see* HANAKAWA, T.
HASHIMOTO, T. *see* KAZAMA, T.
HASHIMOTO, T. *see* SATO, M.
HASHIMOTO, T. *see* YAMAZAKI, S.
HASHIMOTO, Y., TAKAHASHI, H., KISHIYAMA, K., SATO, Y., NAKAO, M., MIYAMOTO, K. & IIZUKA, H. Lyme disease with facial nerve palsy: rapid diagnosis using a nested polymerase chain reaction–restriction fragment length polymorphism analysis, 304
HASSAN, K. *see* GEFELLER, O.
HATAMOCHI, A., KURODA, K., SHINKAI, H., KOHMA, H., OISHI, Y. & INOUE, S. Regulation of matrix metalloproteinase (MMP) expression in cutis laxa fibroblasts: upregulation of MMP-1, MMP-3 and MMP-9 genes but not of the MMP-2 gene, 757
HAUFS, M.G., BEISSERT, S., GRABBE, S., SCHÜTTE, B. & LUGER, T.A. Psoriasis vulgaris treated successfully with mycophenolate mofetil, 179
HAY, R.J. *see* ACLAND, K.M.
HAYCOCK, J.W. *see* LITTLE, M.C.
HEALY, J. *see* LITTLE, M.C.
HECKMANN, M., SCHALLER, M., PLEWIG, G. & CEBALLOS-BAUMANN, A. Optimizing botulinum toxin therapy for hyperhidrosis, 553
HEDLEY, S.J., GAWKRODGER, D.J., WEETMAN, A.P., MORANDINI, R., BOEYNAEMS, J-M., GHANEM, G. & MAC NEIL, S. α-Melanocyte stimulating hormone inhibits tumour necrosis factor-α stimulated intercellular adhesion molecule-1 expression in normal cutaneous human melanocytes and in melanoma cell lines, 536
HEENEN, M. *see* SIMONART, T.
HEID, E. *see* LIPSKER, D.
HEIDTMANN, A. *see* BECHTEL, M.J.
HEINO, J. *see* HÄKKINEN, L.
HELLER, M. *see* BOULOC, A.
HENDRIKS, J. *see* STRATEN, P.T
HENZ, B.M. *see* TOPPE, E.
HERBST, R.A. *see* KIEHL, P.
HIDANO, A. *see* TOKURA, Y.
HIRAKO, Y. *see* KITAJIMA, Y.
HIRAO, Y. *see* KANBE, N.
HIROHASHI, S. *see* NAKANISHI, Y.
HOEGER, P.H., YATES, R.W. & HARPER, J.I. Palmoplantar keratoderma associated with congenital heart disease, 506
HOFER, A. *see* WOLF, P.
HOFER, A., FINK-PUCHES, R., KERL, H. & WOLF, P. Comparison of phototherapy with near vs. far erythemogenic doses of narrow-band ultraviolet B in patients with psoriasis, 96
HOFFMAN, M. *see* SAXE, N.
HOFFMANN, K. *see* VON KOBYLETZKI, G.
HOFFMANN, K. *see* VON KOBYLETZKI, G.
HOFFMANN, V. *see* VON KOBYLETZKI, G.
HOFFMANN, V. *see* VON KOBYLETZKI, G.
HOLDER, J. *see* OSBORNE, J.E.
HOLMES, S.C., BANKOWSKA, U. & MACKIE, R.M. The prescription of isotretinoin to women: is every precaution taken?, 450
HONDA, Y. *see* EGAWA, K.
HONDA, Y. *see* EGAWA, K.
HORIO, T. *see* OHNISHI-INOUE, Y.
HORIUCHI, N., AIBA, S., OZAWA, H., SUGAWARA, S., RIKIISHI, H., KUMAGAI, K. & TAGAMI, H. Peripheral blood lymphocytes from psoriatic patients are hyporesponsive to β-streptococcal superantigens, 229
HORN, C.K., SCOTT, G.R. & BENTON, E.C. Resolution of severe molluscum contagiosum on effective antiretroviral therapy, 715
HOSOI, J. *see* DENDA, M.
HOUNSELL, K. *see* SAXE, N.
HU, D., PHAN, T.T., CHERRY, G.W. & RYAN, T.J. Dermal oedema assessed by high frequency ultrasound in venous leg ulcers, 815
HUANG, S. *see* KOKUBA, H.
HUFF, C. *see* NGUYEN, C.M.
HUGHES, G.R.V. *see* SETTERFIELD, J.F.
HULME, B. *see* POWLES, A.V.
HUMPHREYS, F. & HUNTER, J.A.A. The characteristics of urticaria in 390 patients, 635
HUMPHRIES, J.D. *see* WATSON, R.E.B.
HUNTER, J.A.A. *see* HUMPHREYS, F.
HUNTER, J.A.A. *see* LANGTRY, J.A.A.
HUNZELMANN, N. *see* SMOLA, H.
HUOVINEN, P. *see* HUOVINEN, S.
HUOVINEN, S., TUNNELA, E., HUOVINEN, P., KUIJPERS, A.F.A. & SUHONEN, R. Human onychomycosis caused by *Trichophyton equinum* transmitted from a racehorse, 1082
HUTCHINSON, P.E. *see* LEAR, J.T.
HUTCHINSON, P.E. *see* VAN DE KERKHOF, P.C.M.

IBORRA, C., CAUMES, E., CARRIÈRE, J., CAVELIER-BALLOY, B., DANIS, M. & BRICAIRE, F. Mucosal leishmaniasis in a heart transplant recipient, 190
ICHIHASHI, M. *see* NAGAHAMA, M.
ICHIKAWA, H. *see* SUZUKI, Y.
ICHIKAWA, T., MASUMOTO, J., KANEKO, M., SAIDA, T., SAGARA, J. & TANIGUCHI, S. Moesin and CD44 expression in cutaneous melanocytic tumours, 763
IGARASHI, Y. *see* AKIMOTO, S.
IGLESIAS, L. *see* ALONSO-LLAMAZARES, J.
IIZUKA, H. *see* HASHIMOTO, Y.
IKAI, K. *see* SAWAI, T.
IKENAGA, M. *see* HAN, Z-B.
IKEYA, T. *see* KATO, M.
ILLIANO, G.M.P. *see* DELFINO, M.
IMAFUKU, S. *see* KOKUBA, H.

IMAMURA, S. *see* YONEDA, K.
IMPERI, M. *see* DIANZANI, C.
INABA, Y. *see* EGAWA, K.
INOUE, S. *see* HATAMOCHI, A.
IOANNIDES, D., MATTHEOU-VAKALI, G., LAZARMIDOU, E., BATSIOS, K., PANAGIOTIDOU, D. & MINAS, A., IRANZO, P. *see* GONZALEZ-CASTRO, J.
IRIFUNE, H. *see* TSUKAZAKI, N.
ISHIHARA, S. *see* TOKURA, Y.
ISHII, N., SUGITA, Y., NISHIYAMA, T. & NAKAJIMA, H. Dermatological survey of HIV seropositive Japanese patients, 908
ISHII-GINOZA, M. *see* TOKURA, Y.
ISHIKAWA, O. *see* ABE, M.
ISHIKAWA, O. *see* AKIMOTO, S.
ISHIKAWA, O. *see* SATO, M.
ISHIKAWA, O. *see* SATO, M.
ISHIKO, A. *see* SATO, M.
ITO, M. *see* KAZAMA, T.
ITO, T. *see* TOKURA, Y.
IVE, F.A. *see* LANGTRY, J.A.A.
IWASAKI, T. *see* MITSUISHI, T.
IZUMA, H. *see* EBATA, T.

JAMES, M.P. *see* CRONE, A.M.
JANG, K.A., CHOI, J.H., SUNG, K.J., MOON, K.C. & KOH, J.K. Congenital linear tufted angioma with spontaneous regression, 912
JENSEN, T., SøRENSEN, S., SøLVSTEN, H. & KRAGBALLE, K. The vitamin D_3 receptor and retinoid X receptors in psoriatic skin: the receptor levels correlate with the receptor binding to DNA, 225
JEONG, E.T. *see* KIM, S-C.
JIMÉNEZ, J.A. *see* ROUSTAN, G.
JOHANSSON, N. *see* HÄKKINEN, L.
JOHNSON, C.E. *see* TUCKER, S.C.
JOLY, P. *see* DEGA, H.
JONES, C.J.P. *see* WATSON, R.E.B.
JONKMAN, M.F., PAS, H.H. & FINE, J.D. Mosaic expression of uncein, linear IgA bullous dermatosis antigen and 180-kDa bullous pemphigoid antigen in generalized atrophic benign epidermolysis bullosa, 904
JUCGLÀ, A., MORESO, F., SAIS, G., GIL-VERNET, S., GRAELLS, J., GRINYÓ, J.M. & PEYRÍ, J. The use of azithromycin for cyclosporin-induced gingival overgrowth, 198
JUHLIN, L. *see* OLSSON, M.J.
JYRKINEN-PAKKASVIRTA, T. *see* SNELLMAN, E.

KACHKO, L. *see* ZVULUNOV, A.
KADONO, T., OKADA, H., OKUNO, T. & OHARA, K. Basal cell carcinoma with neuroid type nuclear palisading: a report of three cases, 1064
KAGEYAMA, M. *see* KATO, M.
KÄHÄRI, V-M. *see* HÄKKINEN, L.
KAMIDE, R. *see* EBATA, T.
KANBE, N., KUROSAWA, M., AKIMOTO, S., SUGIYAMA, D., TAMURA, J., HIRAO, Y. & MIYACHI, Y. Systemic plasmacytosis with deposition of interleukin (IL)-6 and elevated expression of IL-6 mRNA in the skin lesions, 721
KANEKO, M. *see* ICHIKAWA, T.
KANG, S., YI, S., GRIFFITHS, C.E.M., FANCHER, L., HAMILTON, T.A. & CHOI, J.H. Calcipotriene-induced improvement in psoriasis is associated with reduced interleukin-8 and increased interleukin-10 levels within lesions, 77
KANG, S.H. *see* KIM, H.U.
KANZAKI, T. *see* SETOYAMA, M.
KAPP, A. *see* KIEHL, P.
KAPP, A. *see* KIEL, P.
KARINIEMI, A-L. *see* LEIVO, T.
KATAYAMA, I. *see* FUKUOKA, M.
KATAYAMA, I. *see* SHIMIZU, K.
KATAYAMA, I. *see* YAMAZAKI, S.
KATO, M., TAMADA, Y., KAGEYAMA, M., YAMASHITA, T., NITTA, Y., IKEYA, T. & NAKASHIMA, I. Elevated soluble Fas levels in herpes zoster patients, 1091
KAUFMANN, R. *see* OCHSENDORF, F.R.
KAUFMANN, R., GREINER, D., SCHMIDT, P. & WOLTER, M. Dermatomyositis presenting as a plaque-like mucinosis, 889
KAVANAGH, G.M., SABROE, R.A., GREAVES, M.W. & ARCHER, C.B. The intradermal effects of the H_3 receptor agonist R α methylhistamine in human skin, 622
KAWAI, S. *see* EGAWA, K.
KAWASHIMA, M. *see* MITSUISHI, T.
KAZAMA, T., YAMAMOTO, Y., HASHIMOTO, T., KOMAI, A. & ITO, M. Application of confocal laser scanning microscopy to differential diagnosis of bullous pemphigoid and epidermolysis bullosa acquisita, 593
KEMMETT, D. *see* LUCKE, T.W.
KENDRA, J.R. *see* TUCKER, S.C.
KENNEDY, C.T.C. *see* DOWNS, A.M.R.
KERL, H. *see* HOFER, A.
KERL, H. *see* WOLF, P.
KERMANI, F. *see* O'DONNELL, B.F.
KERR-MUIR, M. *see* SETTERFIELD, J.
KESKI-OJA, J. *see* LEIVO, T.
KHORSHID, S.M., PINNEY, E. & NEWTON BISHOP, J.A. Melanoma excision by general practotioners in North–East Thames region, England, 412
KIEHL, P., RICHTER, K., ERDELKAMP, J., HERBST, R.A., KAPP, A. & BÖCKING, A. DNA image cytometry in sebaceous tumours of the Muir–Torre syndrome, 706
KIEL, P., METZE, D., KRESSE, H., REIMANN, S., KRAFT, D. & KAPP, A. Decreased activity of α-glucosidase in a patient with persistent periocular swelling after infusions of hydroxyethyl starch, 672
KIELTY, C.M. *see* WATSON, R.E.B.
KIKUCHI, A. *see* ANZAI, H.
KILKENNY, M., MERLIN, K., YOUNG, R. & MARKS, R. The prevalence of comon skin conditions in Australian school students: 1. Common, plane and plantar viral warts, 840
KIM, H.U., KANG, S.H. & MATSUMOTO, T. Subcutaneous phaeohyphomycosis caused by *Exophiala jeanselmei* in a

patient with advanced tuberculosis, 351
KIM, S-C., CHANG, S.N., LEE, I.J., PARK, S.D., JEONG, E.T., LEE, C.W., AHN, C.M. & ANHALT, G.J. Localized mucosal involvement and severe pulmonary involvement in a young patient with paraneoplastic pemphigus associated with Castleman's tumour, 667
KIM, S-Y. *see* YONEDA, K.
KING, H.S. *see* SAXE, N.
KINOSHITA, A. *see* ANZAI, H.
KIRAN, E. *see* ÇIMŞİT, G.
KIRBY, B. & ROGERS, S. Maintenance treatment with cyclosporin in psoriasis, 561
KIRTSCHIG, G., CAUX, F., MCMILLAN, J.R., BEDANE, C., ABERDAM, D., ORTONNE, J.P., EADY, R.A.J. & PROST, C. Acquired junctional epidermolysis bullosa associated with IgG autoantibodies to the β subunit of laminin-5, 125
KISHIYAMA, K. *see* HASHIMOTO, Y.
KITAJIMA, Y. *see* SATO, M.
KITAJIMA, Y., NOJIRI, M., YAMADA, T., HIRAKO, Y. & OWARIBE, K. Internalization of the 180 kDa bullous pemphigoid antigen as immune complexes in basal keratinocytes: an important early event in blister formation in bullous pemphigoid, 71
KITASATO, H. *see* EGAWA, K.
KNUDSTORP, N.D. *see* LOCK-ANDERSEN, J.
KOBZA BLACK, A. *see* O'DONNELL, B.F.
KOBZA BLACK, A. *see* SETTERFIELD, J.F.
KOCK, N. *see* TRONNIER, M.
KOH, J.K. *see* JANG, K.A.
KOHMA, H. *see* HATAMOCHI, A.
KOIDE, M. *see* TOKURA, Y.
KOIZUMI, H. *see* HAGARI, Y.
KOKUBA, H., IMAFUKU, S., HUANG, S., AURELIAN, L. & BURNETT, J.W. Erythema multiforme lesions are associated with expression of a herpes simplex virus (HSV) gene and qualitative alterations in the HSV-specific T-cell response, 952
KOMAI, A. *see* KAZAMA, T.
KOMAI, R. *see* YAMAZAKI, S.
KOMORIYA, K. *see* FUKUOKA, M.
KONDO, T. *see* SHIMIZU, K.
KONOHANA, I. *see* HAGARI, Y.
KOUDA, K. *see* TSUBOI, H.
KOUMARIANOU, A.A. *see* PAPAGEORGIOU, P.P.
KOYAMA, J. *see* DENDA, M.
KRAFT, D. *see* KIEL, P.
KRAGBALLE, K. *see* JENSEN, T.
KRAMER, M.D. *see* BECHTEL, M.J.
KRENGEL, S. *see* GEILEN, C.C.
KRESSE, H. *see* KIEL, P.
KRIEG, T. *see* SMOLA, H.
KRIGE, J.E. *see* SAXE, N.
KRUPPA, A. *see* SMOLA, H.
KUBO, Y. *see* TAKIWAKI, H.
KUE, E. *see* SCHMUTZ, J.L.
KUENTZ, M. *see* OLLIVIER, I.
KUIJPERS, A.F.A. *see* HUOVINEN, S.
KUMAGAI, K. *see* HORIUCHI, N.
KURODA, K. *see* HATAMOCHI, A.
KUROSAWA, M. *see* AKIMOTO, S.
KUROSAWA, M. *see* KANBE, N.
KURWA, H.A. *see* CHARMAN, C.R.
KUTZNER, H. *see* REQUENA, L.

LAAN, M.P. *see* WOLKERSTORFER, A.
LABANDEIRA, J., SUAREZ-CAMPOS, A. & TORIBIO, J. Actinic superficial folliculitis, 1070
LACHGAR, S., CHARVERON, M., GALL, Y. & BONAFE, J.L. Minoxidil upregulates the expression of vascular endothelial growth factor in human hair dermal papilla cells, 407
LACOUR, J-P. *see* DESRUELLES, F.
LAM, W.Y. *see* LEUNG, C.S.
LANGTRY, J.A.A., CARR, M.M., IVE, F.A., GORDON, P., HUNTER, J.A.A. & HARPER, J.I. Ichthyosiform erythroderma associated with generalized pustulosis, 502
LANIGAN, S.W. *see* VARMA, S.
LAPIERE, J-C. *see* LAPINSKI, P.
LAPINSKI, P., LAPIERE, J-C., TRACZYK, T. & CHAN, L.S. Sporadic dystrophic epidermolysis bullosa with concomitant atopic dermatitis, 315
LAPORTE, J.L. *see* DEGA, H.
LAUD, P.W. *see* ZVULUNOV, A.
LAUZON, G.J. *see* GUPTA, A.K.
LAWRENCE, C.M. *see* DE BERKER, D.A.R.
LAWRENCE, C.M. *see* DU PLESSIS, P.J.
LAWSON, V., LEWIS-JONES, M.S., FINLAY, A.Y., REID, P. & OWENS, R.G. The family impact of childhood atopic dermatitis: the Dermatitis Family Impact questionnaire, 107
LAZARMIDOU, E. *see* IOANNIDES, D.
LE BRUN, V. *see* BOULINGUEZ, S.
LEAR, J.T. *see* DOWNS, A.M.R.
LEAR, J.T., GRAHAM, C., PAVORD, S., MITCHELL, V. & HUTCHINSON, P.E. Cutaneous vascular infarcts secondary to spontaneous platelet aggregation, 1061
LEBBÉ, C. *see* BOULOC, A.
LEDESMA, E. *see* MARTINEZ-ESCRIBANO, J.A.
LEE, C.W. *see* KIM, S-C.
LEE, I.J. *see* KIM, S-C.
LEE, I.W., AHN, S.K., CHOI, E.H. & LEE, S.H. Urticarial reaction following the inhalation of nicotine in tobacco smoke, 486
LEE, J.Y-Y. & CHAO, S.-C. Clear cell papulosis of the skin, 678
LEE, S.H. *see* LEE, I.W.
LEES, A. *see* ACLAND, K.M.
LEIVO, I. *see* LEIVO, T.
LEIVO, T., LEIVO, I., KARINIEMI, A-L., KESKI-OJA, J. & VIRTANEN, I. Down-regulation of transforming growth factor-β receptors I and II is seen in lesional but not non-lesional psoriatic epidermis, 57
LEUNG, C.S., TANG, W.Y.M., LAM, W.Y., FUNG, W.K.K. & LO, K.K. Porokeratotic eccrine ostial and dermal duct naevus with dermatomal trunk involvement: literature review and report on the efficacy of laser treatment, 684

LEWIS, F.M. Vulval lichen planus, 569
LEWIS, L.D. *see* CHAPMAN, M.S.
LEWIS-JONES, M.S. *see* LAWSON, V.
LINARES-BARRIOS, M., CONEJO-MIR, J.S., ARTOLA IGARZA, J.L. & NAVARETTE, M. Panniculitis due to α_1-antitrypsin deficiency induced by cryosurgery, 552
LINDEMANN, A. *see* WIRTH, K.
LIPSKER, D. *see* CRIBIER, B.
LIPSKER, D., DI CESARE, M-P., CRIBIER, B., GROSSHANS, E. & HEID, E. The significance of the 'dust-like particles' pattern of immunofluorescence. A study of 66 cases, 1039
LITTLE, M.C., METCALFE, R.A., HAYCOCK, J.W., HEALY, J., GAWKRODGER, D.J. & MAC NEIL, S. The participation of proliferative keratinocytes in the preimmune response to sensitizing agents, 45
LO, K.K. *see* LEUNG, C.S.
LOCK-ANDERSEN, J. *see* DE FINE OLIVARIUS, F.
LOCK-ANDERSEN, J., KNUDSTORP, N.D. & WULF, H.C. Facultative skin pigmentation in caucasians: an objective biological indicator of lifetime exposure to ultraviolet radiation?, 826
LONG, C.C., DARKE, C. & MARKS, R. Celtic ancestry, HLA phenotype and increased risk of skin cancer, 627
LONG, C.C., MILLS, C.M. & FINLAY, A.Y. A practical guide to topical therapy in children, 293
LONGUET-PERRET, I., SCHMITT, D. & VIAC, J. Tumour necrosis factor-α is involved in the contrasting effects of ultraviolet B and ultraviolet A1 radiation on the release by normal human keratinocytes of vascular permeability factor, 221
LONSDALE, R.N. & GIBBS, S. Pemphigus vulgaris with involvement of the cervix, 363
LOPEZ-TORRES, M., THIELE, J.J., SHINDO, Y., HAN, D. & PACKER, L. Topical application of α-tocopherol modulates the antioxidant network and diminishes ultraviolet-induced oxidative damage in murine skin, 207
LORENZ, B. *see* RUZICKA, T.
LOSADA, A., GARCÍA-DOVAL, I., DE LA TORRE, C. & CRUCES, M.J. Subcutaneous sarcoidosis worsened by cyclosporin treatment for pyoderma gangrenosum, 1003
LOWE, J.G. *see* DAWE, R.S.
LOWE, J.G. *see* DAWE, R.S.
LUCKE, T.W., FALLOWFIELD, M. & KEMMETT, D. A sporadic case of porokeratosis plantaris palmaris et disseminata, 556
LUGER, T.A. *see* HAUFS, M.G.
LUNDIN, I.P. *see* ERIKSSON, M-O.
LUOMA, J. *see* SNELLMAN, E.
LYNDE, C.W. *see* GUPTA, A.K.

MAC NEIL, S. *see* HEDLEY, S.J.

MAC NEIL, S. *see* LITTLE, M.C.
MACKIE, R.M. *see* HOLMES, S.C.
MACKIE, R.M. *see* MORTON, C.A.
MAGALON, G. *see* CASANOVA, D.
MALCOLM, A.J. *see* DU PLESSIS, P.J.
MALJANEN, T. *see* SNELLMAN, E.
MALVEHY, J., PALOU, J. & MASCARÓ, J.M. Painful subungual tumour in incontinentia pigmenti. Response to treatment with etretinate, 554
MAN, I. *see* RUSSELL, S.C.
MANAKA, I. *see* MITSUISHI, T.
MANOR, E. *see* ZVULUNOV, A.
MARCHAL, J-L. *see* FORTON, F.
MARKS, R. *see* KILKENNY, M.
MARKS, R. *see* LONG, C.C.
MARQUART-ELBAZ, C. *see* CRIBIER, B.
MARTÍN, L. *see* FARIÑA, M.C.
MARTINEZ-ESCRIBANO, J.A., DEL PINO GIL-MATEO, M., MIQUEL, J., LEDESMA, E. & ALIAGA, A. Human herpesvirus 8 is not detectable by polymerase chain reaction in angiosarcoma, 546
MARZANO, A.V., GASPARINI, G., GRAMMATICA, A., DE JULI, E. & CAPUTO, R. Langerhans cell histiocytosis and thyroid carcinoma, 909
MASALA, M.V. *see* COTTONI, F.
MASAMOTO, Y. *see* TSUBOI, H.
MASCARO, J.M. *see* FERRANDO, J.
MASCARÓ, J.M. *see* GONZALEZ-CASTRO, J.
MASCARÓ, J.M. *see* MALVEHY, J.
MASTROIANNI, A. *see* AMEGLIO, F.
MASUMOTO, J. *see* ICHIKAWA, T.
MASUNAGA, T. *see* SATO, M.
MATSUKURA, T. *see* MITSUISHI, T.
MATSUMOTO, T. *see* KIM, H.U.
MATSUNO, Y. *see* NAKANISHI, Y.
MATSUURA, C., TSUKIFUJI, R. & SHINKAI, H. Annular lichen planus showing a change in metallothionein expression on immunohistochemistry, 1043
MATTHEOU-VAKALI, G. *see* IOANNIDES, D.
MAZZANTI, C., GOBELLO, T., POSTERARO, P., PARADISI, M., MENEGUZZI, G., CHINNI, L. & ZAMBRUNO, G. 180-kDa bullous pemphigoid antigen defective generalized atrophic benign epidermolysis bullosa: report of four cases with an unusually mild phenotype, 859
MCBRIDE, S.R., DAHL, M.G.C., SLATER, D.N. & SVILAND, L. Vesicular mycosis fungoides, 141
MCGRATH, J.A. *see* MELLERIO, J.E.
MCGRATH, J.A. *see* SALAS-ALANIS, J.C.
MCLAREN, K. *see* ALLAN, S.J.R.
MCLELLAND, J. *see* TAYAL, S.C.
MCMILLAN, J.R. *see* KIRTSCHIG, G.
MEGAHED, M. *see* BECKER-WEGERICH, P.M.
MEHLMAUER, M.A. *see* GUPTA, A.K.
MELLERIO, J.E. *see* SALAS-ALANIS, J.C.
MELLERIO, J.E., DENYER, J.E., ATHERTON, D.J., EADY, R.A.J. & MCGRATH, J.A. Prognostic implications of detemining 180 kDa bullous pemphigoid antigen (BPAG2) gene/protein pathology in neonatal junctional epidermolysis bullosa, 661
MENEGUZZI, G. *see* MAZZANTI, C.
MERLIN, K. *see* KILKENNY, M.
MERTELSMANN, R. *see* WIRTH, K.
MESQUITA-GUIMARÃES, J. *see* VIEIRA MOTA, A.

METCALFE, R.A. *see* LITTLE, M.C.
METZE, D. *see* KIEL, P.
MICHAëLSSON, G. *see* ERIKSSON, M-O.
MIGNET, J.P. *see* OSAER, F.
MIGUÉLEZ, M. *see* SUÁREZ, J.
MIHARA, M. *see* HAGARI, Y.
MILBRADT, R. *see* SCHÖFER, H.
MILLER, C.A. *see* GUPTA, A.K.
MILLS, C.M. *see* LONG, C.C.
MILONE, A. *see* DELFINO, M.
MINAS, A. *see* IOANNIDES, D.
MIQUEL, J. *see* MARTINEZ-ESCRIBANO, J.A.
MISSLER, U. *see* TRONNIER, M.
MITCHELL, V. *see* LEAR, J.T.
MITSUISHI, T., SATA, T., IWASAKI, T., MATSUKURA, T., MANAKA, I., NOGITA, T., OHARA, K. & KAWASHIMA, M. The detection of human papillomavirus 16 DNA in ethyroplasia of Queyrat invading the urethra, 188
MITSUYA, K. *see* OHNISHI-INOUE, Y.
MIYACHI, Y. *see* ABE, M.
MIYACHI, Y. *see* AKIMOTO, S.
MIYACHI, Y. *see* KANBE, N.
MIYACHI, Y. *see* SATO, M.
MIYACHI, Y. *see* SATO, M.
MIYAKAWA, S. *see* CHEN, K-R.
MIYAMOTO, K. *see* HASHIMOTO, Y.
MIZOGUCHI, S. *see* SETOYAMA, M.
MIZUSHIMA, Y. *see* EGAWA, K.
MOFFATT, M.F. *see* COX, H.E.
MOHAMED, K.B. Lepromatous leprosy presenting as a single dough-nut shaped lesion on the face, 560
MOHAMMAD POUR, S. *see* CAPRONI, M.
MÖHRENSCHLAGER, M., BEHAM, A., ABECK, D. & RING, J. Atopic eczema in monozygotic twins with Dubowitz syndrome, 1091
MOON, K.C. *see* JANG, K.A.
MORANDINI, R. *see* HEDLEY, S.J.
MOREL, P. *see* BOULOC, A.
MORELLI, J.G. *see* NGUYEN, C.M.
MORESO, F. *see* JUCGLÀ, A.
MORGAN, P. *see* SETTERFIELD, J.
MORITA, K. *see* YONEDA, K.
MORTON, C.A. & MACKIE, R.M. Clinical accuracy of the diagnosis of cutaneous malignant melanoma, 283
MOURAD, G. *see* BESSIS, D.
MOZZANICA, N. & CATTANEO, A. The clinical effect of topical calcipotriol in acrodermatitis continua of Hallopeau, 556
MROWIETZ, U., CHRISTOPHERS, E. & ALTMEYER, P. Treatment of psoriasis with fumaric acid esters: results of a prospective multicentre study, 456
MULDER, P.G.H. *see* WOLKERSTORFER, A.
MUÑOZ, E. *see* FERRANDO, J.
MURAKAMI, S. *see* HANAKAWA, T.
MURPHY, M. & BARNES, L. Terbinafine-induced lupus erythematosus, 708
NABARRO, G. *see* ZOMER, S.F.
NADAL, C. *see* BARNADAS, M.A.
NAGAHAMA, M., FUNASAKA, Y., FERNANDEZ-FREZ, M.L., OHASHI, A., CHAKRABORTY, A.K., UEDA, M. & ICHIHASHI, M. Immunoreactivity of α-melanocyte-stimulating hormone, adrenocorticotropic hormone and β-endorphin in cutaneous malignant melanoma and benign melanocytic naevi, 981
NAITO, S. *see* SHIMIZU, K.
NAKAJIMA, H. *see* ISHII, N.
NAKANISHI, Y., MATSUNO, Y., SHIMODA, T., WADA, T., YAMAZAKI, N., YAMAMOTO, A. & HIROHASHI, S. Eccrine porocarcinoma with melanocyte colonization, 519
NAKANO, Y. Antigen-presenting cell function of epidermal cells activated by hapten application, 786
NAKAO, M. *see* HASHIMOTO, Y.
NAKASHIMA, I. *see* KATO, M.
NALDI, L. *see* RZANY, B.
NARDINI, P. *see* CARLI, P.
NATARAJAN, S. *see* SINCLAIR, S.A.
NAVARETTE, M. *see* LINARES-BARRIOS, M.
NEAFIE, R. *see* SMITH, K.J.
NEIJENS, H.J. *see* WOLKERSTORFER, A.
NEILL, S. *see* SETTERFIELD, J.
NELSON, A. *see* SMITH, K.J.
NEUMANN, M.H.A.M. *see* VAN DE KERKHOF, P.C.M.
NEUSE, W. *see* BECKER-WEGERICH, P.M.
NEWSTEAD, C.G. *see* SEUKERAN, D.C.
NEWTON BISHOP, J.A. *see* KHORSHID, S.M.
NGUYEN, C.M., YOHN, J.J., HUFF, C., WESTON, W.L. & MORELLI, J.G. Facial port wine stains in childhod: prediction of the rate of improvement as a function of the age of the patient, size and location of the port wine stain and the number of treatments with the pulsed dye (585 nm) laser, 821
NIIMI, N. *see* O'DONNELL, B.F.
NIIMURA, M. *see* EBATA, T.
NISHIKAWA, T. *see* ANZAI, H.
NISHIKAWA, T. *see* SATO, M.
NISHIOKA, K. *see* FUKUOKA, M.
NISHIOKA, K. *see* YAMAZAKI, S.
NISHIYAMA, T. *see* ISHII, N.
NITTA, Y. *see* KATO, M.
NOGITA, T. *see* MITSUISHI, T.
NOJIRI, M. *see* KITAJIMA, Y.
NOLLI, G. *see* BORRONI, G.
NOMURA, K. *see* BABA, T.
NORIEGA, A.R. *see* CUÉTARA, M.S.
NORRIS, J.F.B. Treatment of aquagenic pruritus with alcohol, 927
NORRIS, P.G. *see* SARKANY, R.P.E.
NORVAL, M. *see* DE FINE OLIVARIUS, F.
NORVAL, M. *see* SKOV, L.

O'DONNELL, B.F., BARR, R.M., KOBZA BLACK, A., FRANCIS, D.M., KERMANI, F., NIIMI, N., BARLOW, R.J., WINKELMANN, R.K. & GREAVES, M.W. Intravenous immunoglobulin in autoimmune chronic urticaria, 101
OCHI, H. *see* TSUBOI, H.

OCHSENDORF, F.R. & KAUFMANN, R. Erbium:YAG laser-assisted treatment of miliary osteoma cutis, 371
OGINO, Y. *see* FUKUOKA, M.
OHARA, K. *see* KADONO, T.
OHARA, K. *see* MITSUISHI, T.
OHASHI, A. *see* NAGAHAMA, M.
OHNISHI-INOUE, Y., MITSUYA, K. & HORIO, T. Aspirin-sensitive urticaria: provocation with a leukotriene receptor antagonist, 483
OHSHIMA, K. *see* TOKURA, Y.
OHTA, T. *see* FUKUOKA, M.
OISHI, Y. *see* HATAMOCHI, A.
OKADA, H. *see* KADONO, T.
OKUNO, T. *see* KADONO, T.
OLLIVIER, I., WOLKENSTEIN, P., GHERARDI, R., WECHSLER, J., KUENTZ, M., COSNES, A., REVUZ, J. & BAGOT, M. Dermatomyositis-like graft-versus-host disease, 558
OLSEN, L. *see* VAN DE KERKHOF, P.C.M.
OLSSON, M.J. & JUHLIN, L. Leukoderma treated by transplantation of a basal cell layer enriched suspension, 644
OLSSON-REX, L. *see* DROTT, C.
ONO, T. *see* EGAWA, K.
ONO, T. *see* EGAWA, K.
ORANJE, A.P. *see* WOLKERSTORFER, A.
ÖREM, A. *see* ÇIMŞİT, G.
ÖREM, C. *see* ÇIMŞİT, G.
ORFANOS, C.E. *see* GEILEN, C.C.
ORTIZ, S. *see* REQUENA, L.
ORTONNE, J.P. *see* KIRTSCHIG, G.
ORTONNE, J-P. *see* DESRUELLES, F.
OSAER, F., AUBIN, F., BRESSON-HADNI, S., BURTON, I., DUCLOUX, S., BETTINGER, D. & MIGNET, J.P. Red fingers syndrome in a HIV-negative woman with hepatitis C cirrhosis, 193
OSBORNE, J.E., BOURKE, J.F., HOLDER, J., COLLOBY, P. & GRAHAM-BROWN, R.A.C. The effect of the introduction of a pigmented lesion clinic on the interval between referral by family practitioner and attendance at hospital, 418
OUDESLUYS-MURPHY, A.M. *see* WOLKERSTORFER, A.
OWARIBE, K. *see* KITAJIMA, Y.
OWENS, R.G. *see* LAWSON, V.
ÖZARMAĞAN, G. *see* BOZBORA, A.
ÖZARMAĞAN, S. *see* BOZBORA, A.
OZAWA, H. *see* HORIUCHI, N.

PACKER, L. *see* LOPEZ-TORRES, M.
PALOU, J. *see* FERRANDO, J.
PALOU, J. *see* GONZALEZ-CASTRO, J.
PALOU, J. *see* MALVEHY, J.
PANAGIOTIDOU, D. *see* IOANNIDES, D.
PAPAGEORGIOU, P.P., KOUMARIANOU, A.A. & CHU, A.C. Pigmented Bowen's disease, 515
PAPINI, M., BETTACCHI, A. & GUIDUCCI, A. Nodular secondary syphilis, 704
PARADISI, M. *see* MAZZANTI, C.
PARK, S.D. *see* KIM, S-C.
PARODI, A., DROSERA, M., BARBIERI, L. & REBORA, A. Counterimmunoelectrophoresis, ELISA and immunoblotting detection of anti-Ro/SSA antibodies in subacute cutaneous lupus erythematosus. A comparative study, 114
PARRY, E.J. *see* WATSON, R.E.B.
PARTSCH, B. *see* URE, I.
PAS, H.H. *see* JONKMAN, M.F.
PATRÓN, M. *see* ROUSTAN, G.
PATTMAN, R.S. *see* TAYAL, S.C.
PAU, M. *see* ASTE, N.
PAVORD, S. *see* LEAR, J.T.
PEARSE, A.D. *see* CHARMAN, C.R.
PELTONEN, J. *see* HÄKKINEN, L.
PEREIRO, M. *see* CUÉTARA, M.S.
PERRIN, C. *see* DESRUELLES, F.
PETZELBAUER, P. *see* URE, I.
PEYRI, J. *see* BADELL, A.
PEYRÍ, J. *see* JUCGLÀ, A.
PHAN, T.T. *see* HU, D.
PIERANGELI, A. *see* DIANZANI, C.
PIERRE, P. *see* TROMME, I.
PIETTE, J-C. *see* CHOSIDOW, O.
PINNEY, E. *see* KHORSHID, S.M.
PISTRITTO, G. *see* CAMBIAGHI, S.
PLEWIG, G. *see* HECKMANN, M.
PÖHLAU, D. *see* VON KOBYLETZKI, G.
PÖHLAU, D. *see* VON KOBYLETZKI, G.
POLSON, D.W. *see* WATSON, R.E.B.
POPESCU, C.M., POPESCU, R., WILLIAMS, H. & FORSEA, D. Community validation of the United Kingdom diagnostic criteria for atopic dermatitis in Romanian schoolchildren, 436
POPESCU, R. *see* POPESCU, C.M.
PORTER, W.M. *see* POWLES, A.V.
POSTERARO, P. *see* MAZZANTI, C.
POWLES, A.V., HARDMAN, C.M., PORTER, W.M., COOK, T., HULME, B. & FRY, L. Renal function after 10 years' treatment with cyclosporin for psoriasis, 443
PRENOSIL, J.E. *see* VILLENEUVE, P.
PRESBER, W. *see* GRÄSER, Y.
PRICE, M.L. *see* WOOLLONS, A.
PROCACCINI, E.M. *see* DELFINO, M.
PROIETTO, G. *see* CAPRONI, M.
PROST, C. *see* BOULOC, A.
PROST, C. *see* KIRTSCHIG, G.
PUDDU, P. *see* COLONNA, L.
PYE, R.J. *see* SARKANY, R.P.E.

QIANG, K-X. *see* HAN, Z-B.

RALFKIAER, E. *see* STRATEN, P.T.
RAMACCIONI, V. *see* CAMBIAGHI, S.
REBORA, A. *see* PARODI, A.
REICHERT-PENETRAT, S. *see* SCHMUTZ, J.L.
REID, P. *see* LAWSON, V.
REIMANN, S. *see* KIEL, P.

RENDER, C. *see* SOMMER, S.
REQUENA, L. *see* FARIÑA, M.C.
REQUENA, L., KUTZNER, H., ESCALONILLA, P., ORTIZ, S., SCHALLER, J. & ROHWEDDER, A. Cutaneous reactions at sites of herpes zoster scars: an expanded spectrum, 161
RESENDE, C. *see* VIEIRA MOTA, A.
REUNANEN, A. *see* SNELLMAN, E.
REVUZ, J. *see* BAHADORAN, P.
REVUZ, J. *see* OLLIVIER, I.
REVUZ, J. *see* VAN DE KERKHOF, P.C.M.
RHODES, L.E. & WHITE, S.I. Dietary fish oil as a photoprotective agent in hydroa vacciniforme, 173
RICHTER, K. *see* KIEHL, P.
RIKIISHI, H. *see* HORIUCHI, N.
RING, J. *see* MÖHRENSCHLAGER, M.
RINKER, M.H., SANGUEZA, O.P. & DAVIS, L.S. Reticulated purpura occurring with contrast medium after hysterosalpingography, 919
RIVA, S. *see* CAMBIAGHI, S.
ROBERTS, D.T. & EVANS, E.G.V. Subungual dermatophytoma complicating dermatophyte onychomycosis, 189
ROCAMORA, V. *see* BARNADAS, M.A.
ROED PETERSEN, J. *see* FULLERTON, A.
ROGERS, S. *see* KIRBY, B.
ROHWEDDER, A. *see* REQUENA, L.
ROSS, J.S. *see* FARRELL, A.M.
ROUBERT, P. *see* BESSIS, D.
ROUSTAN, G., JIMÉNEZ, J.A., GUTIÉRREZ-SOLAR, B., GALLEGO, J.L., ALVAR, J. & PATRÓN, M. Post-kala-azar dermal leishmaniasis with mucosal involvement in a kidney transplant recipient: treatment with liposomal amphotericin B, 526
RÜDLINGER, R. Ruby laser treatment for hyperpigmentation after cytotoxic therapy for AIDS-related Kaposi's sarcoma, 924
RUSSELL, S.C., DAWE, R.S., COLLINS, P., MAN, I. & FERGUSON, J. The photosensitivity dermatitis and actinic reticuloid syndrome (chronic actinic dermatitis) occurring in seven young atopic dermatitis patients, 496
RUZICKA, T. & LORENZ, B. Comparison of calcipotriol monotherapy and a combination of calcipotriol and betamethasone valerate after 2 weeks' treatment with calcipotriol in the topical therapy of psoriasis vulgaris: a multicentre, double-blind, randomized study, 254
RUZICKA, T. *see* BECKER-WEGERICH, P.M.
RYAN, A. *see* CHARMAN, C.R.
RYAN, T.J. *see* HU, D.
RZANY, B., NALDI, L., SCHÄFER, T., STERN, R. & WILLIAMS, H. The diagnosis of psoriasis: diagnostic criteria, 917

SABROE, R.A. *see* KAVANAGH, G.M.
SAGARA, J. *see* ICHIKAWA, T.
SAIDA, T. *see* ICHIKAWA, T.
SAIS, G. *see* JUCGLÀ, A.
SAKURAI, M. *see* TOKURA, Y.
SALAS-ALANIS, J.C., MELLERIO, J.E., AMAYA-GUERRA, M., ASHTON, G.H.S., EADY, R.A.J. & MCGRATH, J.A. Frameshift mutations in the type VII collagen gene (COL7A1) in five Mexican cousins with recessive dystrophic epidermolysis bullosa, 852
SALMAN, W. *see* TUCKER, S.C.
SALVATORE, E. *see* CAPRONI, M.
SANGUEZA, O.P. *see* RINKER, M.H.
SANTINI, J. *see* DESRUELLES, F.
SARASA, J.L. *see* FARIÑA, M.C.
SARKANY, R.P.E., BURROWS, N.P., GRANT, J.W., PYE, R.J. & NORRIS, P.G. The pustular eruption of ulcerative colitis: a variant of Sweet's syndrome?, 365
SATA, T. *see* MITSUISHI, T.
SATO, H. *see* FUKUOKA, M.
SATO, M., ISHIKAWA, O. & MIYACHI, Y. Distinct patterns of collagen gene expression are seen in normal and keloid fibroblasts grown in three-dimensional culture, 938
SATO, M., ISHIKAWA, O., ABE, M. & MIYACHI, Y. Opposite effects of tumour necrosis factor-α on type I and III collagen gene expression by human dermal fibroblasts in monolayer and three-dimensional cultures, 118
SATO, M., SHIMIZU, H., ISHIKO, A., MASUNAGA, T., AKIYAMA, M., HASHIMOTO, T., KITAJIMA, Y. & NISHIKAWA, T. Precise ultrastructural localization of *in vivo* deposited IgG antibodies in fresh perilesional skin of patients with bullous pemphigoid, 965
SATO, Y. *see* HASHIMOTO, Y.
SAVELKOUL, H.F.J. *see* WOLKERSTORFER, A.
SAWAI, T., IKAI, K. & UEHARA, M. Cyclic adenosine monophosphate phosphodiesterase activity in peripheral blood mononuclear leucocytes from patients with atopic dermatitis: correlation with respiratory atopy, 846
SAXE, N., HOFFMAN, M., KRIGE, J.E., SAYED, R., KING, H.S. & HOUNSELL, K. Malignant melanoma in Cape Town, South Africa, 998
SAYED, R. *see* SAXE, N.
SCHAEFER, B.M. *see* BECHTEL, M.J.
SCHÄFER, T. *see* RZANY, B.
SCHALLER, J. *see* REQUENA, L.
SCHALLER, M. *see* HECKMANN, M.
SCHARFFETTER-KOCHANEK, K. *see* SMOLA, H.
SCHÄTZLEIN, A. & CEVC, G. Non-uniform cellular packing of the stratum cormeum and permeability barrier function of intact skin: a high-resolution confocal laser scanning microscopy study using highly deformable vesicles (Transfersomes), 583
SCHMIDT, P. *see* KAUFMANN, R.
SCHMITT, D. *see* LONGUET-PERRET, I.
SCHMUTZ, J.L., KUE, E., BAYLAC, F., REICHERT-PENETRAT, S. & BARBAUD, A. Angiosarcoma complicating Hallopeau–Siemens-type hereditary epidermolysis bullosa, 910
SCHNUCH, A., GEIER, J., UTER, W. & FROSCH, P.J. Patch testing with preservatives, antimicrobials and industrial biocides. Results from a multicentre study, 467
SCHOEPF, E. *see* WIRTH, K.
SCHÖFER, H., BAUR, S.I., GREGEL, C., WOLTER, M. & MILBRADT, R. Hyperkeratotic varicella zoster virus infection in an HIV-infected patient. Successful treatment of

persistent lesions with cryosurgery, 714
SCHÖLLNAST, R. *see* WOLF, P.
SCHULTE, K.W. *see* BECKER-WEGERICH, P.M.
SCHULTZ, E.S., DIEPGEN, T.L. & VON DEN DRIESCH, P. Clinical and prognostic relevance of serum S-100β protein in malignant melanoma, 426
SCHÜTTE, B. *see* HAUFS, M.G.
SCHWANITZ, H.J. *see* UTER, W.
SCOTT, G.R. *see* HORN, C.K.
SEKINE, I. *see* SHIMIZU, K.
SEO, N. *see* TOKURA, Y.
SEO, N. *see* TOKURA, Y.
SEREMET, T. *see* STRATEN, P.T
SERUP, J. *see* FULLERTON, A.
SERVITJE, O. *see* BADELL, A.
SETOYAMA, M., MIZOGUCHI, S. & KANZAKI, T. Prurigo as a clinical prodrome to adult T-cell leukaemia/lymphoma, 137
SETTERFIELD, J., SHIRLAW, P.J., KERR-MUIR, M., NEILL, S., BHOGAL, B.S., MORGAN, P., TILLING, K., CHALLACOMBE, S.J. & BLACK, M.M. Mucous membrane pemphigoid: a dual circulating antibody response with IgG and IgA signifies a more severe and persistent disease, 602
SETTERFIELD, J.F., HUGHES, G.R.V. & KOBZA BLACK, A. Urticaria as a presentation of adult Still's disease, 906
SEUKERAN, D.C., NEWSTEAD, C.G. & CUNLIFFE, W.J. The compliance of renal transplant recipients with advice about sun protection measures, 301
SEYS, B. *see* FORTON, F.
SHAH, M. *see* COCKAYNE, S.E.
SHARPE, G.R., DILLON, J.P., DURHAM, B., GALLAGHER, J.A. & FRASER, W.D. Human keratinocytes express transcripts for three isoforms of parathyroid hormone-related protein (PTHrP), but not for the parathyroid hormone/PTHrP receptor: effects of $1,25(OH)_2$ vitamin D_3, 944
SHEAR, N.H. *see* GUPTA, A.K.
SHEEHAN-DARE, R. *see* SOMMER, S.
SHEEHAN-DARE, R. *see* SOMMER, S.
SHEMER, A. *see* SHPIRO, D.
SHIMIZU, H. *see* SATO, M.
SHIMIZU, H. *see* YONEDA, K.
SHIMIZU, K., NAITO, S., URATA, Y., SEKINE, I., KONDO, T. & KATAYAMA, I. Inducible nitric oxide synthase is expressed in granuloma pyogenicum, 769
SHIMODA, T. *see* NAKANISHI, Y.
SHINDO, Y. *see* LOPEZ-TORRES, M.
SHINKAI, H. *see* HATAMOCHI, A.
SHINKAI, H. *see* MATSUURA, C.
SHINWELL, E. *see* ZVULUNOV, A.
SHIOTA, H. *see* TAKIWAKI, H.
SHIRAKATA, Y. *see* HANAKAWA, T.
SHIRLAW, P.J. *see* SETTERFIELD, J.
SHORTLAND, G. *see* CHARMAN, C.R.
SHPIRO, D., GILAT, D., FISHER-FELD, L., SHEMER, A., GOLD, I. & TRAU, H. Pyoderma gangrenosum successfully treated with perilesional granulocyte-macrophage colony stimulating factor, 368
SHUSTER, S. Irritant and allergic reactions are additive, not synergistic, 723
SIMON, J. *see* SKOV, L.
SIMONART, T., TUGENDHAFT, P., VEREECKEN, P., DE DOBBELEER, G. & HEENEN, M. Hazards of therapy with high doses of *N*-acetylcysteine for anticonvulsant-induced hypersensitivity syndrome, 553
SIMPSON, E.L., STYLES, A.R. & COCKERELL, C.J. Eccrine syringofibroadenomatosis associated with hidrotic ectodermal dysplasia, 879
SINCLAIR, S.A., SVILAND, L. & NATARAJAN, S. Angiosarcoma arising in a chronically lymphoedematous leg, 692
SKELTON, H.G. *see* SMITH, K.J.
SKOV, L., HANSEN, H., ALLEN, M., VILLADSEN, L., NORVAL, M., BARKER, J.N.W.N., SIMON, J. & BADSGAARD, O. Contrasting effects of ultraviolet A1 and ultraviolet B exposure on the induction of tumour necrosis factor-α in human skin, 216
SLATER, D.N. *see* COCKAYNE, S.E.
SLATER, D.N. *see* MCBRIDE, S.R.
SMITH, K.J., BARRETT, T.L., NEAFIE, R., TOMASZEWSKI, M-M., YEAGER, J., NELSON, A., WAGNER, K.F. & SKELTON, H.G. Is CD30 (Ki-1) immunostaining in cutaneous eruptions useful as a marker of Th1 to Th2 cytokine switching and/or as a marker of advanced HIV-1 disease?, 774
SMOLA, H., KRUPPA, A., HUNZELMANN, N., KRIEG, T. & SCHARFFETTER-KOCHANEK, K. Identification of dimenhydrinate as the causative agent in fixed drug eruption using patch-testing in previously affected skin, 920
SMOLLE, J. *see* WOLF, P.
SNELLMAN, E., MALJANEN, T., AROMAA, A., REUNANEN, A., JYRKINEN-PAKKASVIRTA, T. & LUOMA, J. Effect of heliotherapy on the cost of psoriasis, 288
SNOW, M.H. *see* TAYAL, S.C.
SOLÉ, M. *see* FERRANDO, J.
SOLER-CARRILLO, J. *see* FERRANDO, J.
SøLVSTEN, H. *see* JENSEN, T.
SOMMER, S. & SHEEHAN-DARE, R. The Koebner phenomenon in vitiligo following treatment of a port-wine stain naevus by pulsed dye laser, 200
SOMMER, S., RENDER, C., BURD, R. & SHEEHAN-DARE, R. Ruby laser treatment for hirsutism: clinical response and patient tolerance, 1009
SONG, M. *see* FORTON, F.
SøRENSEN, S. *see* JENSEN, T.
SORIANO, M.L. *see* FARIÑA, M.C.
SOTTO, A. *see* BESSIS, D.
SOUTEYRAND, P. *see* VAN DE KERKHOF, P.C.M.
STAHL, W. *see* BECKER-WEGERICH, P.M.
STARK, H-J. *see* BECHTEL, M.J.
STAUGHTON, R.C.D. *see* FARRELL, A.M.
STERN, R. *see* RZANY, B.
STERRY, W. *see* GRÄSER, Y.
STRATEN, P.T, RALFKIAER, E., HENDRIKS, J., SEREMET, T.,

VEJLSGAARD, G.L & ZEUTHEN, L. T-cell receptor variable region genes in cutaneous T-cell lymphomas, 3
STÜCKER, M. *see* VON KOBYLETZKI, G.
STÜCKER, M. *see* VON KOBYLETZKI, G.
STYLES, A.R. *see* SIMPSON, E.L.
SUÁREZ, J., MIGUÉLEZ, M. & VILLALBA, R. Nodular erythema elevatum diutinum in an HIV-1 infected woman: response to dapsone and antiretroviral therapy, 717
SUAREZ-CAMPOS, A. *see* LABANDEIRA, J.
SUDY, E., URBINA, F. & VASQUEZ, P. Autoerythrocyte sensitization syndrome with positive anticardiolipin antibodies, 367
SUGAWARA, S. *see* HORIUCHI, N.
SUGITA, Y. *see* ISHII, N.
SUGIYAMA, D. *see* KANBE, N.
SUHONEN, R. *see* HUOVINEN, S.
SUKHAI, R.N. *see* WOLKERSTORFER, A.
SUN, L-Y. *see* HAN, Z-B.
SUNG, K.J. *see* JANG, K.A.
SUZUKI, Y., UDAGAWA, S., WAKITA, H., YAMADA, N., ICHIKAWA, H., FURUKAWA, F. & TAKIGAWA, M. Subcutaneous phaeohyphomycosis caused by *Geniculosporium* species; a new fungal pathogen, 346
SVAASAND, L.O. *see* FISKERSTRAND, E.J.
SVILAND, L. *see* DU PLESSIS, P.J.
SVILAND, L. *see* MCBRIDE, S.R.
SVILAND, L. *see* SINCLAIR, S.A.
SVILAND, L. *see* TAYAL, S.C.
SWANN, A. *see* ARMSTRONG, D.K.B.

TAGAMI, H. *see* HORIUCHI, N.
TAKAHASHI, H. *see* HASHIMOTO, Y.
TAKEUCHI, H. *see* TSUBOI, H.
TAKEUCHI, M. *see* TSUBOI, H.
TAKIGAWA, M. *see* SUZUKI, Y.
TAKIGAWA, M. *see* TOKURA, Y.
TAKIGAWA, M. *see* TOKURA, Y.
TAKIGAWA, M. *see* TSUBOI, H.
TAKIWAKI, H., KUBO, Y., TSUDA, H., ARASE, S. & SHIOTA, H. Peripheral ulcerative keratitis associated with erythema elevatum diutinum and a positive rheumatoid factor: a report of three cases, 893
TAMADA, Y. *see* KATO, M.
TAMURA, J. *see* KANBE, N.
TANAKA, M. *see* CHEN, K-R.
TANG, W.Y.M. *see* LEUNG, C.S.
TANIGUCHI, S. *see* ICHIKAWA, T.
TAYAL, S.C., PATTMAN, R.S., MCLELLAND, J., SVILAND, L. & SNOW, M.H. An indolent penile herpetic ulcer in a patient with previously undiagnosed human immunodeficiency virus infection, 334
TEBBE, B. *see* GEILEN, C.C.
TEILLAC, D. *see* BOULOC, A.
THAMBAR, I.V. *see* TUCKER, S.C.
THIELE, J.J. *see* LOPEZ-TORRES, M.
THOMSEN, K. Benign masticatory muscle hypertrophy, 563
TIETZ, H-J. *see* GRÄSER, Y.
TILLING, K. *see* SETTERFIELD, J.
TOBIN, D.J. A possible role for Langerhans cells in the removal of melanin from early catagen hair follicles, 795
TODD, D.J., ASKARI, A. & EKTAISH, F. PUVA therapy for disabling pansclerotic morphoea of children, 201
TOHYAMA, M. *see* HANAKAWA, T.
TOKURA, Y., ISHIHARA, S., OHSHIMA, K., HIDANO, A., KOIDE, M., SEO, N. & TAKIGAWA, M. Severe mosquito bite hypersensitivity, natural killer cell leukaemia, latent or chronic active Epstein–Barr virus infection and hydroa vacciniforme-like eruption, 905
TOKURA, Y., ISHII-GINOZA, M., SEO, N., ITO, T., SAKURAI, M., FURUKAWA, F. & TAKIGAWA, M. Streptococcal impetigo induces Th1-preponderant activation of T lymphocytes with subsequent anergy to superantigenic exotoxins in patients with atopic dermatitis, 357
TOMASZEWSKI, M-M. *see* SMITH, K.J.
TOPPE, E., HAAS, N. & HENZ, B.M. Neutrophilic urticaria: clinical features, histological changes and possible mechanisms, 248
TORIBIO, J. *see* LABANDEIRA, J.
TOSTI, A. *see* BARAN, R.
TOTO, P. *see* CAPRONI, M.
TRACZYK, T. *see* LAPINSKI, P.
TRAU, H. *see* SHPIRO, D.
TREMBATH, R.C. *see* COX, H.E.
TROMME, I., VAN NESTE, D., DOBBELAERE, F., BOUFFIOUX, B., COURTIN, C., DUGERNIER, T., PIERRE, P. & DUPUIS, M. Skin signs in the diagnosis of thallium poisoning, 321
TRONNIER, M., MISSLER, U., GROTRIAN, K. & KOCK, N. Does ultraviolet radiation exposure influence S100β protein plasma levels?, 1098
TSAI, S.-J. & CHANG, F.-R. Repetitive hair pulling associated with scizophrenia, 1095
TSUBOI, H., KOUDA, K., TAKEUCHI, H., TAKIGAWA, M., MASAMOTO, Y., TAKEUCHI, M. & OCHI, H. 8-Hydroxydeoxyguanosine in urine as an index of oxidative damage to DNA in the evaluation of atopic dermatitis, 1033
TSUCHIYA, T. *see* DENDA, M.
TSUDA, H. *see* TAKIWAKI, H.
TSUKAZAKI, N., WATANABE, M. & IRIFUNE, H. Porphyria cutanea tarda and hepatitis C virus infection, 1015
TSUKIFUJI, R. *see* MATSUURA, C.
TUCKER, S.C., COULSON, I.H., SALMAN, W., KENDRA, J.R. & JOHNSON, C.E. Mesothelioma-associated antiphospholipid antibody syndrome presenting with cutaneous infarction and neuropathy, 1092
TUCKER, S.C., YATES, V.M. & THAMBAR, I.V. bjd, 366
TUGENDHAFT, P. *see* SIMONART, T.
TUNNELA, E. *see* HUOVINEN, S.
TURNER, K. *see* ACLAND, K.M.
TYRRELL, R.M. *see* CHARMAN, C.R.

UDAGAWA, S. *see* SUZUKI, Y.
UEDA, M. *see* NAGAHAMA, M.
UEHARA, M. *see* SAWAI, T.
UEKI, H. *see* HAGARI, Y.

URANO, Y. *see* FUKUHARA, K.
URATA, Y. *see* SHIMIZU, K.
URBINA, F. *see* SUDY, E.
URE, I., PARTSCH, B., WOLFF, K. & PETZELBAUER, P. Granulocyte/macrophage colony-simulating factor increases wound-fluid interleukin 8 in normal subjects but does not accelerate wound healing, 277
UTER, W. *see* SCHNUCH, A.
UTER, W., GEFELLER, O. & SCHWANITZ, H.J. An epidemiological study of the influence of season (cold and dry air) on the occurrence of irritant skin changes of the hands, 266

VAN BRONSWIJK, J.E.H.M. *see* ZOMER, S.F.
VAN DE KERKHOF, P.C.M. *see* GERRITSEN, M.J.P.
VAN DE KERKHOF, P.C.M., CAMBAZARD, F., HUTCHINSON, P.E., HANEKE, E., WONG, E., SOUTEYRAND, P., DAMSTRA, R.J., COMBEMALE, P., NEUMANN, M.H.A.M., CHALMERS, R.J.G., OLSEN, L. & REVUZ, J. The effect of addition of calcipotriol ointment (50 μg/g) to acitretin therapy in psoriasis, 84
VAN DEN OORD, J.J. Expression of CD26/ dipeptidyl-petidase IV in benign and malignant pigment-cell lesions of the skin, 615
VAN DER VALK, P.G.M. *see* GERRITSEN, M.J.P.
VAN NESTE, D. *see* TROMME, I.
VAN VLOTEN, W.A. *see* ZOMER, S.F.
VARGAS-DÍEZ, E., FEAL-CORTIZAS, C., FRAGA, J., FERNÁNDEZ-HERRERA, J. & GARCÍA-DÍEZ, A. Follicular pustulosis granuloma annulare, 1075
VARMA, S. & LANIGAN, S.W. Pseudoporphyria caused by nabumetone, 549
VASQUEZ, P. *see* SUDY, E.
VEJLSGAARD, G.L *see* STRATEN, P.T
VENNING, V.A. *see* BANFIELD, C.C.
VEREECKEN, P. *see* SIMONART, T.
VIAC, J. *see* LONGUET-PERRET, I.
VIDALLER, A. *see* BADELL, A.
VIEIRA MOTA, A., CORREIA, O., RESENDE, C., AZEVEDO, F. & MESQUITA-GUIMARÃES, J. Nasal tip metastasis revealing a Pancoast tumour, 559
VIGNON-PENNAMEN, M-D. *see* BOULOC, A.
VILLADSEN, L. *see* SKOV, L.
VILLALBA, R. *see* SUÁREZ, J.
VILLENEUVE, P., HAFNER, J., PRENOSIL, J.E., ELSNER, P. & BURG, G. A novel culturing and grafting system for the treatment of leg ulcers, 849
VIRTANEN, I. *see* LEIVO, T.
VOLDEN, G. *see* FISKERSTRAND, E.J.
VON DEN DRIESCH, P. *see* SCHULTZ, E.S.
VON KOBYLETZKI, G., STÜCKER, M., HOFFMANN, K., PÖHLAU, D., HOFFMANN, V. & ALTMEYER, P. Severe therapy -resistant necrotizing vasculitis associated with hepatitis C virus infection: successful treatment of the vasculitis with extracorporeal immunoadsorption, 718
VON KOBYLETZKI, G., STÜCKER, M., HOFFMANN, K., PÖHLAU, D., HOFFMANN, V. & ALTMEYER, P. Severe therapy-resistant necrotizing vasculitis associated with hepatitis C virus infection: successful treatment of the vasculitis with extracorporeal immunoadsorption, 926
VOYCE, M.E. *see* WOOLLONS, A.

WADA, T. *see* NAKANISHI, Y.
WAGNER, C. *see* WAGNER, S.N.
WAGNER, K.F. *see* SMITH, K.J.
WAGNER, S.N., WAGNER, C., BRIEDIGKEIT, L. & GOOS, M. Homozygous deletion of the $p16^{INK4a}$ and the $p15^{INK4b}$ tumour suppressor genes in a subset of human sporadic cutaneous malignant melanoma, 13
WAINWRIGHT, N.J. *see* DAWE, R.S.
WAINWRIGHT, N.J. *see* DAWE, R.S.
WAKELIN, S.H., BHOGAL, B.S., WOJNAROWSKA, F., ALLEN, J. & BLACK, M.M. bjd, 195
WAKELIN, S.H., ALLEN, J., ZHOU, S. & WOJNAROWSKA, F. Drug-induced linear IgA disease with antibodies to collagen VII, 310
WAKITA, H. *see* SUZUKI, Y.
WALLEY, A.J. *see* COX, H.E.
WANG, J-H. *see* HAN, Z-B.
WATANABE, M. *see* TSUKAZAKI, N.
WATSON, R.E.B., PARRY, E.J., HUMPHRIES, J.D., JONES, C.J.P., POLSON, D.W., KIELTY, C.M. & GRIFFITHS, C.E.M. Fibrillin microfibrils are reduced in skin exhibiting striae distensae, 931
WEBSTER, A.D.B. *see* WOLPERT, K.A.
WECHSLER, J. *see* BAHADORAN, P.
WECHSLER, J. *see* BOULOC, A.
WECHSLER, J. *see* OLLIVIER, I.
WEETMAN, A.P. *see* HEDLEY, S.J.
WELSH, K.I. *see* BANFIELD, C.C.
WESTERMARCK, J. *see* HÄKKINEN, L.
WESTON, W.L. *see* NGUYEN, C.M.
WHITE, S.I. *see* RHODES, L.E.
WHITTAKER, S.J. *see* WOLPERT, K.A.
WILKINSON, S.M. *see* GOULDEN, V.
WILLE, L. *see* GEFELLER, O.
WILLIAMS, H. *see* POPESCU, C.M.
WILLIAMS, H. *see* RZANY, B.
WILLIAMS, H.C. Early diagnosis of malignant melanoma: surgical excision of 37 moles, 202
WINKELMANN, R.K. *see* O'DONNELL, B.F.
WIRTH, K., SCHOEPF, E., MERTELSMANN, R. & LINDEMANN, A. Leg ulceration with associated thrombocytosis: healing of ulceration associated with treatment of the raised platelet count, 533
WOJNAROWSKA, F. *see* BANFIELD, C.C.
WOJNAROWSKA, F. *see* WAKELIN, S,H.
WOJNAROWSKA, F. *see* WAKELIN, S.H.
WOLF, P. *see* HOFER, A.
WOLF, P., SCHÖLLNAST, R., HOFER, A., SMOLLE, J. & KERL, H. Malignant melanoma after psoralen and ultraviolet A (PUVA) therapy, 1100
WOLFF, K. *see* URE, I.
WOLKENSTEIN, P. *see* OLLIVIER, I.

WOLKERSTORFER, A., LAAN, M.P., SAVELKOUL, H.F.J., NEIJENS, H.J., MULDER, P.G.H., OUDESLUYS-MURPHY, A.M., SUKHAI, R.N. & ORANJE, A.P. Soluble E-selectin, other markers of inflammation, and disease severity in children with atopic dermatitis, 431
WOLLENBERG, A. & BIEBER, T. Two populations of CD1a+ epidermal dendritic cells expressing B7 molecules in human skin, 358
WOLLINA, U. Genital ulcers in a psoriasis patient using topical tazarotene, 713
WOLPERT, K.A., WEBSTER, A.D.B. & WHITTAKER, S.J. Discoid lupus erythematosus associated with a primary immunodeficiency syndrome showing features of non-X-linked hyper-IgM syndrome, 1053
WOLTER, M. *see* KAUFMANN, R.
WOLTER, M. *see* SCHÖFER, H.
WONG, E. *see* VAN DE KERKHOF, P.C.M.
WOOLLONS, A., VOYCE, M.E., DARLEY, C.R. & PRICE, M.L. Allergic contact dermatitis to acrylates in diathermy plates, 1094
WULF, H.C. *see* DE FINE OLIVARIUS, F.
WULF, H.C. *see* LOCK-ANDERSEN, J.
WYATT, D.T. *see* ZVULUNOV, A.
WYSOCKI, N.S. *see* BECHTEL, M.J.

YAMADA, N. *see* SUZUKI, Y.
YAMADA, T. *see* KITAJIMA, Y.
YAMAMOTO, A. *see* NAKANISHI, Y.
YAMAMOTO, O. *see* HAGARI, Y.
YAMAMOTO, Y. *see* KAZAMA, T.
YAMASHITA, T. *see* KATO, M.
YAMAZAKI, N. *see* NAKANISHI, Y.
YAMAZAKI, S., YOKOZEKI, H., KATAYAMA, I., KOMAI, R., HASHIMOTO, T. & NISHIOKA, K. Childhood bullous pemphigoid associated with chronic renal allograft rejection, 547
YATES, R.W. *see* HOEGER, P.H.
YATES, V.M. *see* TUCKER, S.C.
YAWALKAR, N., BRAND, C.U. & BRAATHEN, L.R. Interleukin-12 expression in human afferent lymph derived from the induction phase of allergic contact dermatitis, 297
YEAGER, J. *see* SMITH, K.J.
YI, S. *see* KANG, S.
YOHN, J.J. *see* NGUYEN, C.M.
YOKOZEKI, H. *see* YAMAZAKI, S.
YONEDA, K., AKIYAMA, M., MORITA, K., SHIMIZU, H., IMAMURA, S. & KIM, S-Y. Expression of transglutaminase 1 in human hair follicles, sebaceous glands and sweat glands, 37
YOU, Y. *see* HAN, Z-B.
YOUNG, R. *see* KILKENNY, M.

ZACHARIAE, H. 2159, 562
ZAMBRUNO, G. *see* MAZZANTI, C.
ZEUTHEN, L. *see* STRATEN, P.T
ZHANG, Y-P. *see* HAN, Z-B.
ZHOU, S. *see* WAKELIN, S.H.
ZOMER, S.F., DE WIT, R.F.E., VAN BRONSWIJK, J.E.H.M., NABARRO, G. & VAN VLOTEN, W.A. Delusions of parasitosis. A psychiatric disorder to be treated by dermatologists? An analysis of 33 patients, 1030
ZUG, K.A. *see* CHAPMAN, M.S.
ZVULUNOV, A., KACHKO, L., MANOR, E., SHINWELL, E. & CARMI, R. Reticulolinear aplasia cutis congenita of the face and neck: a distinctive cutaneous manifestation in several syndromes linked to Xp22, 1046
ZVULUNOV, A., WYATT, D.T., LAUD, P.W. & ESTERLY, N.B. Influence of genetic and environmental factors on melanocytic naevi: a lesson from Turner's syndrome, 993